

Dino 3 Mobility base

Article number 470G42=00000_K



Standard Equipment

- Aluminium frame with abduction and folding back **support**; different back **support** angle settings are possible
- Height-adjustable push handles/push bar
- Caster wheels
- Interface adapter
- Rear wheels including drum brake for attendant 22"/24" or 12"
- For 22"/24" rear wheels, wheel camber 2.5° fixed, quick-release axles
- Seat inclination adjustment -5° to 30°
- Max. load capacity 120 kg/265 lbs

<p>Base price: EUR X,XXX (including side panels and leg supports)</p> <p>All prices in EUR, valid from 1/1/2019 to 31/12/2019</p>	<p>Order no.:</p> <p>_____</p>
---	--------------------------------

Provide estimate only		Order	
Attachment for custom fabrication enclosed			
Billing address/customer number			
Delivery address			
Sales person		Name	
		
		Date _____	Signature _____
<p>By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.</p>			

Version			
M100		Dino 3 as transport chair	Price reduction
		Dino 3 as self-propelling chair	-


Use stair climber		
	yes	
	no	

Frame width in cm*		A	B	C	D	E	
		Seat frame width	Frame width	Width between wheels (with 2.5° camber)	Overall width	Abduction width	
MA 31	Size 1	28	36	45	61.5	47	
MA 32	Size 2	32	40	49	65.5	51	
MA 33	Size 3	36	44	53	69.5	55	


Information

Interface adapter

The interface adapter represents the attachment device needed for attaching the seating shell interface to the mobility base. It does not include the seating shell interface.




MC 30 Parallel adapter




MC 31 Trapezoid adapter

Seating shell interface

Normally, the seating shell interface is to be screwed to the seating shell and must be ordered separately.



MC 40 Parallel seating shell interface



MC 41 Trapezoid seating shell interface

Seat depth in cm* (different settings are possible)					
Seat frame, standard	34.5	37	39.5	42	44.5
Seat frame, long	39.5	42	44.5	47	49.5






* There may be variations of +/- 1 cm.

Frame length			
MA 35		Frame, standard	-
MA 36		Long frame (extended by 5 cm)	-

Wheelbase			
MA 38		Standard	-
MA 37		Reduced by 6 cm (not in combination with MZ 70)	Add. charge
MA 39		Extended by 6 cm (not in combination with MZ 70)	Add. charge

Frame accessories			
MA 51		Tip-assist, right	Add. charge
MA 52		Tip-assist, left	Add. charge
MA 55		Anti-tipper, right	Add. charge
MA 56		Anti-tipper, left	Add. charge

Caster wheels			
MF 04		5.5" soft	-
MF 32		6" solid rubber, black	-
MF 07		7" pneumatic	-
Rear wheel (for self-propelling chair only)			
MG 01		22"	-
MG 02		24"	-
Rear wheel tyres			
MG 30		Pneumatic 1 3/8"	-
MG 31		Schwalbe Right Run 1", puncture proof	Add. charge
MG 35		PU, 1 3/8"	-
Wheel lock options			
MH 01		Knee lever wheel lock	Add. charge
MH 10		Lever extension for knee lever wheel lock (plug-on)	Add. charge
Back cane options			
MD 30		Back guide for seating shell back, universal	Add. charge
MD 31		Manual angle adjustment with strap	Add. charge
Push handles/push bar (height-adjustable)			
MD 51		Push handles long	-
MD 61		Push bar, different settings possible with ratchet joints	Add. charge
Side panels			
ME 05		Side panel with arm support, height-adjustable, depth-adjustable	Add. charge
ME 08		Clothing protector for 22" and 24" wheels (to protect user from getting injured)	Add. charge
Accessories			
ME 60		Tray (requires arm supports)	Add. charge
Interface adapter			
MC 30		Parallel adapter	-
MC 31		Trapezoid adapter (R82 adaption possible)	-
Seating shell interface			
MC 40		Parallel adaption (only with Parallel adapter MC 30, max. load for seating solution at frame width 36 = 75kg/165 lbs, at frame width 40, 45, 50 = 100kg/220 lbs)	Add. charge
MC 41		Trapezoid adaption, includes adapter fixture (only with MC 31)	Add. charge
Seat option			
MC 49		Adapter for pre-tilt of the seat (+5°)	Add. charge

Leg supports, incl. angle adjustable footplate(s), aluminum			
MB 03		Single panel	Add. charge
MB 20		Single panel, for short lower leg length	Add. charge
MB 30		Leg support complete assembly with single foot plate for seat shell chassis, steel (Possible only in combination with Seating shell interfaces Parallel adaption or Interface adapters Trapezoid adapter/R82) (max. load for seating solution = 50 kg/110 lbs)	Add. charge
MB 10		Individual	Add. charge
MB 18		Elevating with ratchet joint, individual, abducted	Add. charge


Leg supports accessories			
MB 70		Locking device for single-panel foot plates	Add. charge
MB 72		Heel strap for individual foot plates (MB 10, MB 15, MB 18)	Add. charge

Spoke protectors			
MG 90		Spoke protector, transparent	Add. charge

Spoke protectors can only be selected for the Dino 3 self-propelling chair.

Frame colours			
001		Brillant silver	-
002		Anthracite metallic	-
003		Jet black RAL 9005	-
023		White RAL 9016	-

Other accessories			
MZ 70		Transport kit (max. load = 100 kg/220 lbs) (tested according to ISO 7176-19 & ANSI/RESNA WC/19 / only for self propelling)	Add. charge

Dimensions			
		(F) Seat tube depth	
		36.5 – 44 cm (different settings possible)	
		41.5 – 49 cm (different settings possible)	
		(G) Seat tube height	
		12" min. 43.5 cm max. 48.5 cm	
		22" min. 43.5 cm max. 45.5 cm	
		24" min. 46 cm max. 48 cm	