



## **CLEO** Active-wheelchair for children

Crash tested according to ISO 7176-19 and RESNA WC-4:2012: Section 19

Order form incl. Exportprices (€) valid until 31.12.2021, release date 02/2021

#### Basic configuration inclusive:

- Seat- and back panel
- Clothes cover
- Footrest hanger 90°
- HOGGI light rear wheels
- HOGGI light brake CLEO

#### Price:

□ Offer	☐ Order	
Order number / reference	Date	
Invoice address		
Company	Customer number	
Street	City, Zip code	
E-Mail	Telephone	
Fax		
Delivery address		
Company		
Street	City, Zip code	
Basic configuration		

#### Basic configuration

- Powder coated aluminium frame with growth capacity
- 3 frame sizes:
- Size 1: Seat width (SW) 24 30 cm in 2 cm steps
- Size 2: Seat width (SW) 24 34 cm in 2 cm steps
- Size 3: Seat width (SW) 26 34 cm in 2 cm steps
- Seat heights: 29 cm 46 cm
- Seat angle: 0,5° 11,5°
- Footrest hanger 90° inclusive ABS-footrest

- Backrest angle: -10° to +10°
- Seat- and back panel
- Clothes cover
- HOGGI light rear wheels inclusive push rims
- HOGGI light wheel locks
- Camber 6°, 9° or 12°
- Load capacity: 60 kg

### Minimum information (Without this information your order can not be handled.)

Frame colour		(Please see	table "fram	e colours"	')					
Seat width in cm	□ 24	□ 26	□ 28	□ 30	□ 32	□ 34	Seat height *	(29 - 46 cm)		
Camber in degree	□ 6° (3	3274-1292)	□ 9° (32	274-1293)	□ 12° (	3274-1294)	Seat angle *	(0,5° - 11,5°)		
* Please see attachment of "seat measurements"										
Procettings							(Mithaut this information	a vour order can not be bandled		

		(**************************************	mandin jour order carriner be mariared,
Seat depth (SD) <sup>1</sup>		Lower leg length (LLL)	(13 - 36 cm)
Backrest angle <sup>2</sup>	(-10 to +10)		
Active degree <sup>3</sup>	(0 - 8 cm)	Comfort degree (-5 to 3 cm)	

<sup>&</sup>lt;sup>1</sup> Please see table seat measurements

<sup>&</sup>lt;sup>2</sup> Angle compared to the vertical line

<sup>&</sup>lt;sup>3</sup> Please see drawing "active degree"

with or or with or or or		Order no. 3274-00SW 3274-1420 3274-1410 3274-1430	olour Description CLEO size 1 (20") Base plates, aluminum size 1, b Base plates, carbon *	lack coated (Upcharge)	01	Qty. I pc.	Price € incl.
or or with or or with or		3274-1420 3274-1410	Base plates, aluminum size 1, b Base plates, carbon *		01	l set	incl.
or or with or or with or		3274-1410	Base plates, carbon *				incl.
with or with or				(Uncharge)	02		
with or or with or				(Opcilar qe)	UZ	l set	
with or or with or			Base plates alu "Comfort" long v	wheelhase **	03	l set	incl.
or or with or		3275-00SW	CLEO size 2 (22")	411001babb		l pc.	
or or with or		3275-1420	. ,	In all and a d			inal
with or			Base plates, aluminum size 2, b			set	incl.
with or		3275-1410	Base plates, carbon *	(Upcharge)			
or		3275-1430	Base plates alu "Comfort" long v	wheelbase **	03	l set	incl.
or		3276-00SW	CLEO size 3 (24")		7	l pc.	
or		3276-1420	Base plates, aluminum size 3, b	lack coated		l set	incl.
		3276-1410	Base plates, carbon *	(Upcharge)		set	
01	$\overline{}$	3276-1430	• • • • • • • • • • • • • • • • • • • •	<u> </u>		l set	incl
		3270-1430	Base plates alu "Comfort" long v		US	Set	incl.
			* can not be combined with tie do				
			** reduction of the active degree I	by 5 cm			
with		3274-25SW	Back base "rigid" with back pane	el. back height 20	04	l set	incl.
or		3274-26SW	Back base "rigid" with back pane	· •		l set	incl.
or	<u> </u>	3274-27SW	Back base "rigid" with back pane	<u> </u>		set	incl.
or		3274-28SW	Back base "rigid" with back pane	•		l set	incl.
with		3276-26SW	Back base "reclinable" with back	k panel, back height 25 (Upcharge)	05	l set	
or		3276-27SW	Back base "reclinable" with back	k panel, back height 30 (Upcharge)		l set	
or		3276-28SW	Back base "reclinable" with back			set	
	=	3276-41SW	Back base "reclinable" with back	1		l set	
or	<u> </u>	3270-41311				Set	
			please specify angle adjustment   □ 70°-90° □ 80°-100° □ 90° - 1				
with		3274-7300			OG.	l set	
			Tie down kit (minimum back res	t neight 30) "			
or		3274-7301	Back rest extension			l set	
		3274-7370	06 Cushion for back rest extention	(Upcharge)	80	l pc	
			* Use with back rest extension or	head support if there is			
			no support for shoulder and head				
			transport vehicle.				
with		3275-52SW	Push-bar		09	l pc.	
or	_	3278-52SW	Push-bar Cleo Ti			l pc.	
or		3275-53SW	Push-handles		10	-	
or		3275-5501	One hand push-handle		11	l pc	
<b>Brakes</b>	s, fer	nder		(Without this information yo	our ord	er can no	t be handled.)
		Order no.	olour Description		(	ર્પ્રા	Price €
with		3275-1700	HOGGI light brake		12	l set	incl.
or		3221-1700	Standard brakes CLEO			set	incl.
with		3221-1700					
	_		Clothes cover			set	incl.
or		3275-160x	Fender			l set	
or		3275-169x	Fender with integrated brake sys	stem	15	l set	
with		3276-160x	Fender with height adjustable ar	nd detachable arm rests	16	l set	
-			Fender with integrated brake sys				
or		3276-169x	and with height adjustable and o		17	l set	
:41-	_	7000 0054			_	·!	11
with	<u>-</u>	7000-0051	PU-Armrest pads, 235 mm long			l pair	incl.
or		7000-0052	PU-Armrest pads, 270 mm long			l pair	incl.
		3240-8202	Therapy tray size 2, SW 24 and	26 cm *	18	l pc	
		3240-8203	Therapy tray size 3, SW 28, 30	and 32 cm *		Грс	
		3240-8204	Therapy tray size 4, SW 34 *			l pc	
	_	32 10 020	* only in conjunction with arm res	ete.		. 60	
			only in conjunction with arm res	)io			
Alexant	ni	fonder					
Alumir	nium	fender	alaum Danaminstiam			<b>34.</b> .	
	_	Order no.	olour Description			Qty.	
		3277-1604	Wheel guards aluminum in fram	e color, 22-24"	19	l set	
with			Wheel guards aluminum in fram	e color, 22-24" with	20		
with	_	3278-1604	height adj. and detachable arm		20	l set	
with		J U . UUT					
		32.0 1004					
or			Wheel guards aluminum in fram		21	l set	
		3277-1694	Wheel guards aluminum in fram integrated wheel lock levers	e color 22-24" with	21	l set	
or			Wheel guards aluminum in fram	ne color 22-24" with 22-24" with integrated	22	I set	

Rear				With JOI. 1			y one version!
		Order no.	Colour Description		C	Qty.	Price €
vith		1296-0xxx	Rear wheel <b>HOGGI</b> light		1	set	incl
or		1297-1xxx	Rear wheel <b>HOGGI</b> light with drum brakes*	(Upcharge)	1	set	
			*in combination with push-bar or push-handles				
vith		129x-x2xx	20" wheel diameter			set	incl
r		129x-x3xx	22" wheel diameter			set	incl
r		129x-x4xx	24" wheel diameter			set	incl
/ith		129x-xx1x	Pneumatic tires 1"		23 1		incl
r		129x-xx2x	Flat free tires (20x1 3/8", 22x1" and 24x1")		24 1	set	incl
vith		129x-xxx0	Without push-rims				
r		129x-xxx1	Push rims aluminium anodised, "standard" mounting			set	incl
r		129x-xxx2	Push rims aluminium anodised, "high" mounting		<b>26</b> 1		incl
r		129x-xxx3	Push rims stainless steel, "standard" mounting	(Upcharge)	<b>27</b> 1	set	
r		129x-xxx4	Push rims stainless steel, "high" mounting	(Upcharge)	1	set	
vith			☐ Push-rim mounting "narrow"				
r			☐ Push-rim mounting "wide"		_		
vith		1296-4211	Pneumatic wheel 20x1" <b>HOGGI</b> Extra light *	(Upcharge)	28 1	set	
vith		1296-4311	Pneumatic wheel 22x1" HOGGI Extra light *	(Upcharge)	1	set	
or		1296-4411	Pneumatic wheel 24x1" HOGGI Extra light *	(Upcharge)	1	set	
			* incl. black alu push-rim				
spok	e gua						
		Order no.	Colour Description			Qty.	Price €
		1204-101x	Spoke guard, transparent		29 1	set	
		1204-101x	Spoke guard, transparent, for drum brakes wheels		_	set	
		1204-101x	Spoke guard, printed		30 1	set	
		1204-101x	Spoke guard, printed, for drum brakes *		1	set	
	_						
			* please enter code of your print design see attachment or				
			* please enter code of your print design see attachment or brochure "spoke guard"				
			brochure "spoke guard"				
ront	casto		brochure "spoke guard" *printed spoke guards are not available for 20" wheels				y one version!
	casto	Order no.	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description		C	Qty.	Price €
	casto	Order no. 1250-1002S	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm			Qty.	•
vith	casto	Order no. 1250-1002S 1250-1003S	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm		31 1 1	set set	Price €
vith	casto	Order no. 1250-1002S	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm	with/or: Pl	31 1 1 1	set set set	Price € incl.
vith or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm	with/or: Pl	31 1 1 1	set set set	Price € incl incl
with or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm	with/or: Pl	31 1 1 1 32 1	set set set	Price € incl.
vith or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm	with/or: Pl	31 1 1 1 32 1 1	set set set set set	Price € incl.
with or or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm	with/or: Pl (Upcharge) (Upcharge)	31 1 1 32 1 33 1	set set set set set	Price € incl.
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm	with/or: Pl (Upcharge) (Upcharge) (Upcharge)	31 1 1 32 1 33 1	set set set set set set set set	Price € incl.
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm	with/or: Pl (Upcharge) (Upcharge) (Upcharge)	31 1 1 32 1 33 1 1	set	Price € incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	*printed spoke guards are not available for 20" wheels  *Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm	with/or: Pl (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 32 1 32 1 1 33 1 1 1	set	Price € incl. incl. incl. incl.
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm	with/or: Pl (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 32 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl  SW=Seat width Price €
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  With/or: F	with/or: Pl (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOrder no. 3275-2801	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm	with/or: Pl (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 32 1 33 1 1 3 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOrder no. 3275-2801 3275-2802	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm *	with/or: Pl (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  PS Order no. 3275-2801 3275-2802 3276-2900	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm * Transfer support (not compatible with SA-0399) Footrest hanger adj. 90-155°, LLL 19 - 25cm	(Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 1 34 1 1 1 35 1 36 1	set	Price € incl incl incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOURCE NO. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm	with/or: Pl  (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 1 35 1 36 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl incl incl
vith or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  Solution of the control of	brochure "spoke guard"  *printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  With/or: F  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)	(Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 1 35 1 36 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl incl incl
r r r r r r	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  SOURCE NO. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802 SA-0430	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  **PU-wheel with plastic design rim 125 x 34 mm  **Colour Description*  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)  **applicable up from seat height 39 cm	(Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 1 33 1 1 1 1 3 1 1 1 1 1 1	set	Price incl
vith or vith	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  SOURCE NO. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802 SA-0430	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  **With/or: F**  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm * Transfer support (not compatible with SA-0399) Footrest hanger adj. 90-155°, LLL 19 - 25cm Footrest hanger adj. 90-155°, LLL 19 - 35cm Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm Footrest bracket angle adjustable, flip up type	(Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 1 35 1 36 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set	Price € incl incl incl incl incl incl incl incl
vith or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  SOURCE NO. 3275-2801 3275-2801 3278-2802 3276-2900 3278-2801 3278-2802 SA-0430  3275-2910 3275-2960	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  **With/or: F**  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm * Transfer support (not compatible with SA-0399) Footrest hanger adj. 90-155°, LLL 19 - 25cm Footrest hanger adj. 90-155°, LLL 19 - 35cm Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm Footrest bracket angle adjustable, flip up type Footrest bracket angle adjustable, with interlocking	(Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 33 1 1 35 1 36 1 1 37 1 38 1	set	Price € incl incl incl incl incl incl incl incl
vith  or  or  or  or  or  or  or  or  or  o	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  PS Order no. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802 SA-0430  3275-2910 3275-2960 3275-31SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm * Transfer support (not compatible with SA-0399) Footrest hanger adj. 90-155°, LLL 19 - 25cm Footrest hanger adj. 90-155°, LLL 19 - 35cm Reinforced steel footplate-carrier (about 0,3 kg heavier) * applicable up from seat height 39 cm Footrest bracket angle adjustable, flip up type Footrest bracket angle adjustable, with interlocking CLEO footrest ABS, flat version *	with/or: Pl  (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 1 33 1 1 1 35 1 36 1 1 37 1 38 1 39 1	set	Price incl
vith or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  PS Order no. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802 SA-0430  3275-2910 3275-2960 3275-31SW 3275-30SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm PU-wheel with plastic design rim 125 x 34 mm  **PU-wheel with plastic design rim 125 x 34 mm  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm Footrest hanger 90°, lower leg length 13-36 cm * Transfer support (not compatible with SA-0399) Footrest hanger adj. 90-155°, LLL 19 - 25cm Footrest hanger adj. 90-155°, LLL 19 - 35cm Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm Footrest bracket angle adjustable, flip up type Footrest bracket angle adjustable, with interlocking CLEO footrest ABS, flat version * CLEO footrest ABS, with heel stop *	(Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge) (Upcharge)	31 1 1 1 32 1 1 1 33 1 1 1 35 1 36 1 1 38 1 39 1 40 1	set	Price incl
with  or  or  or  or  or  or  or  or  or  with  or  with  or  with	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOURCE NO. 3275-2801 3275-2801 3276-2900 3278-2801 3278-2802 SA-0430  3275-2960 3275-2960 3275-31SW 3275-32SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  **PU-wheel with plastic design rim 125 x 34 mm  **Colour Description*  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm  Footrest bracket angle adjustable, flip up type  Footrest bracket angle adjustable, with interlocking  CLEO footrest ABS, flat version *  CLEO footrest ABS, with heel stop *  CLEO footrest aluminium, flat version in frame colour *	(Upcharge)	31 1 1 1 32 1 1 33 1 1 1 35 1 36 1 1 1 38 1 39 1 40 1 41 1	set	Price € incl.  SW=Seat width Price € incl.  incl.  incl.
with or or or or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1004  PS Order no. 3275-2801 3275-2802 3276-2900 3278-2801 3278-2802 SA-0430  3275-2910 3275-2960 3275-31SW 3275-30SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  **With/or: F**  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm  Footrest bracket angle adjustable, flip up type  Footrest bracket angle adjustable, with interlocking  CLEO footrest ABS, flat version *  CLEO footrest aluminium, flat version in frame colour *  CLEO footrest carbon, flat version in frame colour *	(Upcharge)	31 1 1 1 32 1 1 33 1 1 1 35 1 36 1 1 1 38 1 39 1 40 1 41 1	set	Price € incl.  SW=Seat width Price € incl.  incl.  incl.
with or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOURCE NO. 3275-2801 3275-2801 3276-2900 3278-2801 3278-2802 SA-0430  3275-2960 3275-2960 3275-31SW 3275-32SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  **Colour Description  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm  Footrest bracket angle adjustable, flip up type  Footrest bracket angle adjustable, with interlocking  CLEO footrest ABS, flat version *  CLEO footrest aluminium, flat version in frame colour *  CLEO footrest carbon, flat version in frame colour *  CLEO footrest carbon, flat version in frame colour *	(Upcharge)	31 1 1 1 32 1 1 33 1 1 1 35 1 36 1 1 1 38 1 39 1 40 1 41 1	set	Price € incl. incl. incl.
vith or	casto	Order no. 1250-1002S 1250-1003S 1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004  SOURCE NO. 3275-2801 3275-2801 3276-2900 3278-2801 3278-2802 SA-0430  3275-2960 3275-2960 3275-31SW 3275-32SW	*printed spoke guards are not available for 20" wheels  Colour Description  Wheel with rubber tire, black 100 x 32 mm  Wheel with rubber tire, black 125 x 32 mm  Wheel with rubber tire, black 140 x 40 mm  Skater wheel with LED 100 x 24 mm  Skater wheel with LED 125 x 24 mm  PU-wheel with plastic design rim 100 x 34 mm  PU-wheel with plastic design rim 125 x 34 mm  **With/or: F**  Colour Description  Footrest hanger 90°, lower leg length 13-26 cm  Footrest hanger 90°, lower leg length 13-36 cm *  Transfer support (not compatible with SA-0399)  Footrest hanger adj. 90-155°, LLL 19 - 25cm  Footrest hanger adj. 90-155°, LLL 19 - 35cm  Reinforced steel footplate-carrier (about 0,3 kg heavier)  * applicable up from seat height 39 cm  Footrest bracket angle adjustable, flip up type  Footrest bracket angle adjustable, with interlocking  CLEO footrest ABS, flat version *  CLEO footrest aluminium, flat version in frame colour *  CLEO footrest carbon, flat version in frame colour *	(Upcharge)	31 1 1 1 32 1 1 33 1 1 1 35 1 36 1 1 1 38 1 39 1 40 1 41 1	set	Price € incl incl incl incl incl incl incl incl

Accessorie		Calau		lease select only	y one			
	Order no.	Colou	r Description			Qty.	Price	₹
	3275-180x		Anti tip, swingaway, assembly left □=1 or right □=2		_	1 pc.		
	3275-180x	004	Tip assist, assembly left □=3 or right □=4		-	1 pc.		
	3231-7800	304	Abduction block size 1, swing away, detachable, (9 x 6 x 9 d		45	1 pc.		
	3231-7900	304	Abduction block size 2, swing away, detachable, (11 x 8x 10	cm)		1 pc.		
	3246-71SB	306	Seat cushion; 3 cm thick		_	1 pc.		
	3275-7100	306	Back cushion, trough shaped, 2,5 cm thick		47	1 pc.		
	3276-7100	306	Back cushion for "reclinable" back, trough shaped, 2,5 cr			1 pc.		
	3201-3830		Universal headrest bracket (3245-7800 or third-party pro-	duct) *	48	1 pc.		
	3245-7800		Headrest with occiput upholstery		49	1 pc.		
			* starting from backrest height 30 cm					
	1204-101x		Push-rim cover, silicone black fluted			1 set		
	3275-15SW	0XX	Seat width enlarging set (enlarging range about 2 cm)		50	1 set		
	3276-15SW	0XX	Seat width enlarging set (2 cm) for CLEO with "reclinable	e" back	51	1 set		
	3201-6400		Ankle hugger, size 1		52	1 pair		
	3203-6400		Ankle hugger, size 1		-	1 pair		
	3274-6100		Lap belt, black		53	1 pc.		
	3275-6702		4-Point lap belt, size S (SW 24 - 30)		54	1 pc.		
	3275-6703		4-Point lap belt, size M (SW 28 - 36)		_	1 pc.		
	02.00.00					. po.		
Custom-ma	ade							
	Order no.	Colou	r Description			Qty.	Price	€
			CLEO Ti 45 ° tilt in space and					
	SA-0399-MP		angle-adjustable and foldable back *	(Upcharge)	55	1 pc.		
	3246-80SW	322	Contoured seat cushion with cover, black, SW 24 -32		56	1 pc.		
					50			
	3246-80SW	322	Contoured seat cushion with cover, black, SW 34			1 pc.		
	SA-0286/2-KP	,	Abduction block 30 mm height extension kit *			1 set		
			* only in combination with abduction block and contoured	seat cushion				
	SA-0210-MP		Special Frame colour, RAL code only	(Upcharge)		1 pc.		
	SA-0500-MP		Additional coating "silver glitter effect"	(Upcharge)		1 pc.		
	6999-0014	060	Special Frame colour, Copper Gold	(Upcharge)		1 pc.		
	6000 0015		CLEO component parts in various colours					
	6999-0015		according to customer requirements *	Price per co	lour			
			* please note colours of all component parts below	-				
	0000 0017		Powder coated castor forks and both adapter for camber	colour				
	6999-0017		according to customer requirements *			1 set		
	SA-0279/4-KP	)	CLEO outdoor front end *		57	1 pc.		
			* additional costs for retrofitting					
			* only possible with two anti tippers (3275-1801 + 3275-180	2).				
			* not compatible with 327X-1410 (base plates carbon)	·				
	Seat heights:		frame size 1: 38 cm - 41 cm in 1 cm steps					
	o out mongritor		frame size 2: 40,5 cm - 43,5 cm in 1 cm steps					
			frame size 3: 45 cm - 48 cm in 1 cm steps					
	SA-0390		Upholstery in special colour *			Drico	on requ	oct
	3A-0390		* please enter colour code or upholstery code respectively			FIICE	on requ	COL
			Aluminum hand rim with plastic anti-slip coating, black,					
	SA-0572-XXS	-MP	standard mounting *	(Upcharge)	58	1 pair		
	0/1 00/2 /0/0	1711	Aluminum hand rim with plastic anti-slip coating, black,	(openarge)		1 pail		
	SA-0572-XXH	-MP	high mounting *	(Upcharge)		1 pair		
	0/1 00/2 ///11	1411	Plastic anti-slip coating in custom colour: Pure white	(Oponarge)		- Pull		-
			(RAL 9010), Silver grey (RAL 7001), Sky blue (RAL		59			
	CA 0572 E MI	,	5015), Traffic red (RAL 3020), Pure orange (RAL 2004)*	(Unaharaa)	39	1 noir		
	SA-0572-F-MF			(Upcharge)		1 pair		
	SA OOS ME		* only in combination with HOGGI light rear wheels		00	Delas	on ros:	004
	SA-008x-MP		GOLZ Rehavolution wheels with integrated push rims		60		on requ	est
	SA-0093-MP		Maxgrepp Original cell rubber coated push rims	(Upcharge)	-=	1 Set		
	SA-0094-MP		Maxgrepp Ergo Para (closed push rims)	(Upcharge)	62	1 Set		
	SA-0095-MP		Maxgrepp Ergo Para CP (advanced closed push rims)	(Upcharge)	63	1 Set		
	SA-0384-MP		CLEO frame with parallel abduction	(Upcharge)	64	1 Set		
	SA-0394-MP		Coupling of two CLEOs one behind the other	(Upcharge)		1 Set		
	5 500 / WII		2 3 5 7 11 3 2 1 2 2 3 3 1 1 3 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 1 3 3 1 1 3 3 1 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 3 3 1 1 3 3 3 1 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 1 3 3 3 1 3 3 3 3 1 3	(5,501,01,80)	-00			

Custom-m								
	Order no.		r Description			Qty.	Price	€_
	SA-0410-Mir	1	Preparation for electric drive "			Price	on reques	<u>st</u>
	SA-0410/2-N	ИP	Preparation for electric drive" ' (Only together with armrests, for the		(Upcharge)	66 1 pc.		
	SA-0410/3-N	ſР	CLEO TI preparation for "e-fix"	ıı	(Upcharge)	1 pc.		_
	SA-0315/4-N	ИР	Preparation for assembly of th "ProActiv"	e one-hand drive of	(Upcharge)	67 1 pc.		_
	SA-0158-KP		Calf upholstery suitable to SW	1	(Upcharge)	1 pc.		_
	SA-0495-MP	)	Ball grip for integrated brakes		1 Set		_	
	SA-0427-MP	)	One-hand push bar with Ratch	net joint	(Upcharge)	68 1 Set		_
	SA-0370-MP	)	Mounting adaptation for Stealt	h "Nino" trunk supports	(Upcharge)	1 Set		_
								_
Custom-m	ade Dynamic							
	Order no.	Colou	r Description			Qty.	Price	€
	SA-0552/1-M	/D	Dynamic package in addition t			69 1 Set		
	SA-0552/1-W SA-0431-		adjustable from back height 30					_
	<u> </u>	1411	CLEO Back panel reinforced v	76121011		70 1 Set		_
	CA 0550/0 N	4D	Durancia na diana ta OLEO Ti	frame hash hainbt 20		total		_
	SA-0552/2-N SA-0431-		Dynamic package to CLEO Ti			71 1 Set		_
		IVIP	CLEO Back panel reinforced v			72 1 Set		_
	<b>⊠</b> SA-0555		CLEO Ti seat adapter reinforc	ed steel version		72 1 pair		_
						total		
Extra equi	nment							
Extra equi	Order no.	Colou	r Description			Qty.	Price 4	€
	3275-3100		CLEO trailer coupling for a "B	OBBY-CAR" trailer		1 pc.		<u> </u>
	02.00.00		Children name as film plot (23		o the back			_
	SA-0366		panel, Font: Calibri, film plot co	,		1 pc.		
						'		
Custom m			onent parts in various colours					
	Position	Colou	r Component partl	_ (A) (E	(c)	)	(A)	)
	A		Sideplates, aluminium	_ \		7		
				_ \	\	-		
	В		Back base	_ \		HOGGI	/	
	0		Dardy was a d	_ \			/	
	С		Back panel	_		~ <b>n</b>		
	D		Soot panal	<i>-</i>	8		/	
	<u> </u>		Seat panel	- / j			7	
	E		Framo	— (3) j	- 1=1	$\rightarrow$		
	<u> </u>		Frame					
	F		Footrest hanger	_(D)	A THE	1.0		
	I		i ooliest hangel			•		
	G		Footrest, aluminium		0	<b>6</b>		
			1 Journal and Millian	_(E)	1111	9		

## **Upholstery codes**


306 and 322 Black checked

321	Spacer fabric (special colour)	335	Turqoise (special colour)
323	Iron grey (special colour)	336	Pink (special colour)
334	Sand (special colour)	314	Red (special colour)

Frame colours							
<b>001</b> Black	(RAL 9005)	020 Yellow green	(RAL 6018)	028 Pearl violet	(RAL 4011)	053 Light green	(RAL 6027)
002 Silver		021 Greyaluminium	(RAL 9007)	029 Pearl beige	(RAL 1035)	054 Ocean blue	(RAL 5020)
003 Pearl ruby red	(RAL 3032)	<b>022</b> White	(RAL 9003)	032 Black dull matt	(RAL 9005)	<b>056</b> Turqoise blue	(RAL 5018)
004 Pearl night blue	(RAL 5026)	023 Pure orange	(RAL 2004)	039 Signal violet	(RAL 4008)	057 Iron sparkling da	ark light
005 Pearl gentiant blue	e (RAL 5025)	024 Sparkling iron ef	ffect	<b>040</b> Night blue	(RAL 5022)	058 Salmon orange	(RAL 2012)
017 Traffic yellow	(RAL 1023)	025 Signal blue	(RAL 5005)	<b>047</b> Luminous yello	v (RAL 1026)	059 Pastel blue	(RAL 5024)
018 Flame red	(RAL 3000)	026 Vermillion	(RAL 2002)	048 Luminous red	(RAL 3024)		
019 Skyblue	(RAL 5015)	<b>027</b> Heather violet	(RAL 4003)	050 White matt	(RAL 9003)		

SA-0500-MP additional coating "silver glitter effect", Upcharge SA-0210-MP Special colours on request (Enter RAL code

Upcharge



**SH** = Seat height **LLL** = Lower leg length **SD** = seat depth **BH** = Backrest height

Seat measurements						
Seat width (SW)	24	26	28	30	32	34
Seat depth (SD)	22-30	24-32	26-34	28-36	30-38	32-40

ocat uc	puii (OL	7	22-30		24-02		20 <sup>-</sup> 0 <del>-</del> 1		20-	00		30-30		JZ-	+0
	Frame 20" rea					Frame size 2 22" rear wheels						Fram 24" re	ne size ar whe		
SH		Seat	angle		SH	SH Seat angle				SH		Seat	angle		
29,0	2,5	3,5			32,0	2,5	3,5				36,0	2,5	3,0		
29,5	0,5	3,5	4,5		32,5	0,5	3,5	4,0			36,5	0,5	3,0	4,0	
30,0	3,5	6,5	7,0		33,0	3,5	6,0	6,5			37,0	3,0	6,0	6,5	
31,5	3,5	8,0	10,5	11,0	34,5	3,5	7,5	10			38,5	3,0	7,0	9,5	10,0
32,5	0,5	3,5	8,5		35,5	0,5	3,5	7,5	11,5		39,5	0,5	3,0	7,5	11,0
33,5	2,5	3,5			36,5	2,5	3,5				40,5	2,5	3,0		
34,0	0,5	3,5	4,5		37,0	0,5	3,5	4,0			41,0	0,5	3,0	4,0	
35,0	3,5	6,5	7,0		38,0	3,5	6,0	6,5			42,0	3,0	6,0	6,5	
36,0	3,5	8,0	10,5	11,0	39,0	3,5	7,5	10,0			43,0	3,0	7,0	9,5	10,0
37,5	0,5	3,5	8,0		40,5	3,5	7,5	11,5			44,5	0,5	3,0	7,5	11,0
38,5	2,0	3,5	7,0		41,5	2,0	3,5	7,0	11,5		45,5	2,0	3,0	6,5	10,5
39,0	3,5	5,0	9,0		42,0	3,5	5,0	8,5			46,0	3,0	4,5	8,0	

## Spoke guard print design\*




### Colour code

201	<i>HOGGI</i> blue	205	Train
202	Wonderland	206	Dragon
203	Mouse	207	Circus
204	Water world		

<sup>\*</sup> for detailed images see attachment or brochure "spoke guard".

# CONFIGURATIONS // ACCESSORIES // CLEO



# CONFIGURATIONS // ACCESSORIES // CLEO



# CONFIGURATIONS // ACCESSORIES // CLEO

