

Cross 5XL

Therapist	User
Phone no	Order date
Purchase Order no	Customer Ref
Base price	€XXX
	Standard option included in base price
Colour	01 Black



Item no	Seat width (sw)	Frame length	Seat depth
13123111	47.5 cm	Standard	36-49 cm
13123112	47.5 cm	Long	42-55 cm
13123113	50 cm	Standard	36-49 cm
13123114	50 cm	Long	42-55 cm
13123115	52.5 cm	Standard	36-49 cm
13123116	52.5 cm	Long	42-55 cm
13123117	55 cm	Standard	36-49 cm
13123118	55 cm	Long	42-55 cm
13123119	57.5 cm	Standard	36-49 cm
13123120	57.5 cm	Long	42-55 cm
13123121	60 cm	Standard	36-49 cm
13123122	60 cm	Long	42-55 cm

OPTIONS

Back supports & Covers	Config no	Item no
------------------------	-----------	---------

3A back support



Back height 32-45 cm	inkl cross bar & adjustable strap back item:		
recline -5° - +20°	sw 47.50-50 cm	62654-60	43438
lumber angle -16° - +16°	sw 52.50-60 cm	62655-60	43439

Pre-set back height	40 cm
Pre-set recline angle	22041

Back height 38-51 cm	inkl back 32-45 and 3A back extension item:		
recline -5° - +20°	sw 47.50-50 cm	28845 + 28659	43441
lumber angle -16° - +16°	sw 52.50-60 cm	28846 + 28660	43442

Pre-set back height	46 cm
Pre-set recline angle	22041

Back supports & Covers					Config no	Item no
Covers	Plush					
	Comfort					
	Airmesh					
	Tidy/hygiene					
						
	Back height 32-45 cm					
	Plush	Comfort	Airmesh	Tidy/hygiene		
	sw 47.5 cm	62946-60	62961-60	63209-68	63092-63	
	sw 50 cm	62947-60	62962-60	63210-68	63093-63	
	sw 52.5 cm	62948-60	62963-60	63211-68	63094-63	
sw 55 cm	62949-60	62964-60	63212-68	63095-63		
sw 57.5 cm	62950-60	62965-60	63213-68	63096-63		
sw 60 cm	62951-60	62966-60	63214-68	63097-63		
Back height 38-51 cm						
sw 47.5 cm	63025-60	63038-60	-	-		
sw 50 cm	63026-60	63039-60	-	-		
sw 52.5 cm	63027-60	63040-60	-	-		
sw 55 cm	63028-60	63041-60	-	-		
sw 57.5 cm	63029-60	63042-60	-	-		
sw 60 cm	63030-60	63043-60	-	-		

Brakes					Config no	Item no	
Knee lever brake	 	Red angled handle	Right	Left	45678	27528-1/-2	
		Black angled handle	Right	Left		27532-1/-2	
		Extended foldable handle	Right	Left		27530-1/-2	
One hand brake		Extended foldable handle	Right	Left		27531-1/-2	
Drum brake							
Select rear wheels with drumbrake and height adjustable push handles with attendant brake below							
Leg supports (hangers)					Config no	Item no	
Fixed angle	 	Swing away, detachable	lower leg length 31-49 cm				
		Wide angle 70°	Right	Left		25574-01	
		Narrow angle 80°	Right	Left		25570-01	
		Lockable, swing away, detachable	lower leg length 31-49 cm				
		Wide angle 70°	Right	Left		25575-01	
Elevated		Prio incl calf support, hygiene	lower leg length 31-49 cm		Right	Left	
		sw 47.5-50 cm			43392/43393	27858-65-1/-2	
		sw 52.5-55 cm			43392/43393	27859-65-1/-2	
		sw 57.5-60 cm			43392/43393	27860-65-1/-2	
		Mod 1	lower leg length 31-49 cm		Right	Left	25660-01
		add on:	Attachment for calf support				24544-01
		Attachment for calf support flip-up				27322-01	
		Calf support, plush item:					
		sw 47.5 cm				62484-60	
		sw 50-60 cm				62451-60	
		Mod 3	lower leg length 31-49 cm		Right	Left	
		excl calf support				27149	
		incl calf support				26100	
	Plaster		3 cushions	Hygiene	Right	Left	27417-1/-2

Amputation



Amputation support	Right	Left
Plush		26210-60-1/-2
Hygiene		26210-63-1/-2
Amputation weight		26876

Foot supports

Item no

Divided



Flip up	attachment tube:	
	standard	Right Left
	+10 cm	Right Left
	-8 cm	Right Left
Heel strap	for divided foot supports	
		24458

One piece

Flip up				
				
	Divided standard	Divided +10 cm	Divided -8 cm	One-piece
47.5 cm	25736-1/2	25737-1/2	25738-1/2	25937
50 cm	25646-1/2	25652-1/2	25658-1/2	25937
52.5-60 cm	25646-1/2 + 51170	25652-1/2 + 51170	25658-1/2 + 51170	26853

Rear wheels

Config no

Item no

C6




20"	Aluminium	Stainless steel	Plastic coated
Solid	83885	83910	83911
High pressure, Speedlite	83908	83909	83884
22"			
Solid	83882	83907	83883
High pressure, Speedlite	83880	83906	83881
24"			
Solid	83876	83877	83878
High pressure, Speedlite	83873	83874	83875

Maxx


25"			
High pressure, Trailblazer	28964-1/-2 (43701)	-	28965-1/-2 (43702)

C5 Drum brake



20" DB	Aluminium	Stainless steel	Plastic coated
Solid	81337 (23608)	-	-
22" DB			
Solid	81339 (23602)	81341 (23601)	81340 (23603)
High pressure	81342 (23605)	81344 (23604)	81343 (23606)
24" DB			
Solid	81346 (23595)	81348 (23594)	81347 (23596)
High pressure	28625 (23598)	28624 (23597)	81350 (23599)
26" DB			
Solid innertube	-	28112 (23992)	-

Rear seat height



Heavy to propel and hard to tip. Efficient to propel and easy to tip.



	20"	22"	24"	25"	26"
G	34 cm	36.5 cm	39 cm	40.5 cm	41.5 cm
F	36 cm	38.5 cm	41 cm	42.5 cm	43.5 cm
E	38 cm	40.5 cm	43 cm	44.5 cm	45.5 cm
D	40 cm	42.5 cm	45 cm	46.5 cm	47.5 cm
C	42 cm	44.5 cm	47 cm	48.5 cm	49.5 cm
B	44 cm	46.5 cm	49 cm	50.5 cm	51.5 cm
A	46 cm	48.5 cm	51 cm	52.5 cm	53.5 cm

Seating

Config no


Item no

Upholstery

Depth adjustable

Hard seat

Height adjustable



	Upholstery basic std	Upholstery basic long	Hard seat std	Hard seat long
sw 47.5 cm	62978-60	62984-60	26722	26727
sw 50 cm	62979-60	62985-60	26723	26728
sw 52.5 cm	62980-60	62986-60	26723	26728
sw 55 cm	62981-60	62987-60	26724	26729
sw 57.5 cm	62982-60	62988-60	26724	26729
sw 60 cm	62983-60	62989-60	26660	26662

Seat depth extension



sw 47.5-50 cm	63292
sw 52.5-60 cm	63293

Push handles

Config no

Item no

Push handles



Height adjustable

100 mm

27589-01

incl Cross bar

sw 47.5 cm	43178	28695
sw 50 cm	43179	28696
sw 52.5 cm	43180	28697
sw 55 cm	43181	28698
sw 57.5 cm	43182	28699
sw 60 cm	43183	28700

Push handles with drum brake



Height adjustable	100 mm handle and 100 mm grip		27626-01
incl Cross bar	sw 47.5 cm	43170	28695
	sw 50 cm	43171	28696
	sw 52.5 cm	43172	28697
	sw 55 cm	43173	28698
	sw 57.5 cm	43174	28699
	sw 60 cm	43175	28700

Bow handle



Height adjustable			
	sw 47.5 cm		27434-01
	sw 50 cm		26063-01
	sw 52.5 cm		26064-01
	sw 55 cm		26068-01
	sw 57.5 cm		26069-01
	sw 60 cm		26070-01

Arm supports and mudguards

Config no

Item no

Arm support



Solid pad			
	25 cm	Right Left	25172-1/-2
	38 cm	Right Left	25173-1/-2
w fingerscrew for height adjustment	25 cm	Right Left 23910/23911	26379-1/-2
w fingerscrew for height adjustment	38 cm	Right Left 23912/23913	26380-1/-2



Removable pad			
	25 cm	Right Left	28780-1/-2
	35 cm	Right Left	28781-1/-2
w fingerscrew for height adjustment	25 cm	Right Left 43557/43558	28782-1/-2
w fingerscrew for height adjustment	35 cm	Right Left 43559/43560	28783-1/-2

Mudguard



	Right Left	27397-1/-2
--	------------	-------------------

Anti tips

Config no

Item no

Anti tips multi cc59




applicable for all seat heights	43427	28457
---------------------------------	-------	--------------

Seat cushions

Universal

Plush cover

Tidy cover (hygiene)



	Plush	Tidy
sw 47.5 cm	62374-60	63135-63
sw 50 cm	62266-60	63136-63
sw 52.5 cm	62420-60	63137-63
sw 55 cm	62421-60	63138-63
sw 57.5 cm	62422-60	63139-63
sw 60 cm	62422-60	63139-63

Widening kit

Config no

Item no

Widening kit




sw +1 cm	Not with drum brake	43080	27533
----------	---------------------	-------	--------------

ACCESSORIES

Arm supports				Pieces	Item no
Hemi arm support		for item 25173-1/-2	Right	Left	25770-60-1/-2
Wide and soft arm pad		8 x 40 cm	for item 25172-1/-2 and 25173-1/-2		226873
Cover		25 cm	for item 25172-1/-2		
		padded plush		2	62282-60
		padded hygiene		2	62282-63
		gel plush		2	26240-60
		gel hygiene		2	26240-63
		38 cm	for item 25173-1/-2		
		padded plush		2	62283-60
		padded hygiene		2	62283-63
		gel plush		2	26241-60
		gel hygiene		2	26241-63
Side guard pad		Cross, standard shape	reduce the seat width 30mm/pair	Right	Left63373-1/-2
Thigh support	 	Short 50 cm	for item 25172-1/-2 and 25173-1/-2	Right	Left27391-1/-2
		Long 57 cm	for item 25172-1/-2 and 25173-1/-3	Right	Left27392-1/-2
		Soft pad for thigh support		Right	Left82488-1/-2
Attachments for medical devices				Pieces	Item no
Crutch and cane holder		Universal		1	27327
IV stand		For two IV bags complete with attachment		1	28323
Oxygen holder		For oxygen tubes, maximum load 5 kg		1	28937
Fixations and brackets					Item no
Locking strap		to lock the wheelchair when folded			27151
Head supports					Item no
Attachment	 	Assembly on 3A back support			
		sw 47.5 cm			28130
		sw 50 cm			28131
		sw 52.5 cm			28132
		sw 55 cm			28133
		sw 57.5 cm			28134
		sw 60 cm			28135
		Assembly on bow handle			25795

Head support		Traditional	26x14 cm incl turtle bar 350 mm	
			with plush cover	28534-60
			with hygiene cover	28534-65
Extension		With side support	incl turtle bar 250 mm	
			with plush cover	28536-60
			with hygiene cover	28536-65
Memory function		Extension head support	for head support	29012
		Only extension, not complete head support.		
		Memory function	for head support	28564

Leg and foot supports				Pieces	Item no			
Cover		to cover attachment when not using leg support			2	51213		
Foot support extension		Extension, plastic	for right & left foldable foot support					
			sw 47.5 cm		2	50799		
			sw 50-60 cm		2	50800		
Add-on extension		Extension, metal	for right & left foldable foot support					
		Medium	sw 47.5 cm	Right	Left	28775-1/-2		
		Large	sw 50-60 cm	Right	Left	28776-1/-2		
		Guide to link right & left extension into one piece				28773		
Foot box		Side protection	for extension, metal		2	28772		
		Foot box	Soft padded					
		Medium	sw 47.5 cm			28642		
Thigh support		large	sw 50-60 cm			28643		
		Distal thigh support	for fixed leg supports,	Right	Left	28777-1/-2		
Cover foot support		For flip up foot plates	padded plush	Right	Left			
			sw 47.5-50 cm			63189-60-1/-2		
			sw 52.5-60 cm					
Calf support		For one piece foot plate	padded plush					
			sw 47.5-50 cm					
Calf support		Cover, hygiene	for elevated leg support item 26100			62762-63		
		Calf support		Calf strap	adjustable in length			
					sw 47.5 cm			25358
	sw 50-52.5 cm					25359		
	sw 55-60 cm					26062		
Calf support		Padding for calf strap						
			30 cm			26846		
			40 cm			26847		
Calf support		Panel	Plush					
			75 cm (sw 47.5 cm)			63186-60		
			90 cm (sw 50-60 cm)			63187-60		

Postural supports			Pieces	Item no	
Positioning belt, 2 point		plastic push release			
		100 cm		25668	
		128 cm		26163	
Wedge	  	push button buckle			
		170 cm		62190	
		Soft			
		Plush		pcs	
		Short, 15 cm		63012-60	
		Long, 30 cm		63013-60	
Lateral support	 	Cell foam			
		Polyethylene		pair	
		90 x 20 x 130 mm		28030	
		110 x 20 x 185 mm		28139	
		175 x 25 x 200 mm		28140	
Back width extension	 	Side cushion			
		Right	Left	63171-60-1/-2	
		Side stop, straight			
Trunk support 3A	 	gives extra support to side cushion			
		28136			
		Width extension, 30 mm			
Cover for trunk support	 	combine with wedges			
		28173			
		Widening pad			
		padded cover with flexible insert			
		28637			
Attachment for harness	 	Swing away & detachable			
		Adjustable in height, depth and width			
		0 mm (straight profile)	Right	Left	28181-1/-2
		-15 mm	Right	Left	28180-1/-2
		-45 mm	Right1	Left	28141-1/-2
		Detachable			
		Adjustable in height, depth and width			
		0 mm (straight profile)		2	28142
		+15 mm		2	28143
		-15 mm		2	28144
		-45 mm		2	28145
		Upper attachment		Soft	
Adjustable in height					
27395					
Swing away R82 pad					
Adjustable in height and depth					
Medium					
Right					
Left					
27915-1/-2					
Large					
Right					
Left					
27916-1/-2					
Soft cover					
Fits item 28142, 28143, 28144, 28145, 28181-1/-2, 28180-1/-2, 28141-1/-2					
28647					
to be mounted on head support stem 15x15 mm					
28186					

Seating				
Seat wedge		Comfort wedge		
		Provides extra seat contour for seat cushion Universal.		
		sw 47.5-60 cm		80779

Trays

Tray



Transparent	for 38 cm arm support 25173-1/-2		
	sw 47.5 cm		25731
	sw 50 cm		24601
	sw 52.5 cm		26020
	sw 55 cm		26021
	sw 57.5 cm		26022
	sw 60 cm		26907

Hemi tray



Transparent	for 25 cm arm support 25172-1/-2		
	sw 47.5 cm		26561
	sw 50 cm		26562
Transparent	for 38 cm arm support 25173-1/-2		
	sw 47.5 cm		26568
	sw 50 cm		26569
Anti glide	for hemi tray		81633

Half tray



Foldable	for arm support 25172-1/-2 & 25173-1/-2	Right	Left	27352-1/-2
----------	---	-------	------	------------

Attachment for tray

Round tubes	fits tubes up to ø 18mm	Right	Left	27956-1/-2
-------------	-------------------------	-------	------	------------

Wheels

Pieces

Item no

Spokeguard



Transparent			
	20"	2	28934
	22"	2	28935
	24"	2	28936



Transparent	for CS DB		
	20"	2	28816-28
	22"	2	28817-28
	24"	2	28818-28

Additional information to order:

Etac Supply Center AB
 Phone: +46 371 58 73 30
 Mail: info@etac.com
 Website: www.etac.com


 Creating Possibilities