

# Xact



Therapist		User	
Phone no		Order date	
Purchase Order no		Customer Ref	
Base price	€XXX	Standard option included in base price	
Colour	01 Black		

Item no	Seat width (sw)	Frame length	Seat depth
13250101	35 cm	Standard	38-46 cm
13250102	35 cm	Short	35-43 cm
13250103	37.5 cm	Standard	38-46 cm
13250104	37.5 cm	Short	35-43 cm
13250105	40 cm	Standard	38-46 cm
13250106	40 cm	Short	35-43 cm
13250107	42.5 cm	Standard	38-46 cm
13250108	42.5 cm	Short	35-43 cm
13250109	45 cm	Standard	38-46 cm
13250110	45 cm	Short	35-43 cm
13250111	47.5 cm	Standard	38-46 cm
13250112	47.5 cm	Short	35-43 cm
13250113	50 cm	Standard	38-46 cm
13250114	50 cm	Short	35-43 cm

## OPTIONS

### Seat height Config no    Item no

#### Seat height tabel

Seat angle is always 4°

- Decide seat height and check the box to the right of the row
- Choose castor size
- Choose rear wheel size

cm	cm	4*	5*	6*	20*	22*	24*	25*	Model	
37.5	40.5	1XS			E				1	43630
38.8	41.8	2XS			D				1	43631
40.0	43.0	3XS	1S		C	E			2	43632
41.3	44.3		2S		B	D			2	43633
42.5	45.5		3S	2S	A	C	E		3	43634
43.8	46.8		4S	3S		B	D	E	3	43635
45.0	48.0		3S+2S	4S		A	C	D	3	43636
46.3	49.3		4S+2S	3S+2S		B	C		4	43637
47.5	50.5			4S+2S		A	B		4	43638

### Rear wheels Config no    Item no

#### Maxx



	Hard anodised aluminium	Titanium	Plastic coated
22"			
High pressure, Speedlite	28956	24087	28957
High pressure, Trailblazer	24052-1/-2 (43703)	24115-1/-2 (43776)	24053-1/-2 (43704)
24"			
High pressure, Speedlite	28950	24088	28951
High pressure, Trailblazer	28952-1/-2 (43699)	24116-1/-2 (43775)	28953-1/-2 (43700)
Solid	24126	24127	24128
25"			
High pressure, Trailblazer	28964-1/-2 (43701)	24117-1/-2 (43754)	28965-1/-2 (43702)

#### C6



	Aluminium	Stainless steel	Plastic coated
20"			
Solid	83885	-	-
High pressure, Speedlite	83908	-	83884
22"			
Solid	83882	-	83883
24"			
Solid	83876	-	83878

#### C5 Drum brake



	Aluminium	Stainless steel	Plastic coated
20" DB			
Solid	81337 (43682)	-	-
22" DB			
Solid	81339 (43707)	81341 (43732)	-
High pressure	81342 (43681)	-	-

**C5 Drum brake**



24" DB	Aluminium	Stainless steel	Plastic coated
Solid	81346 (43706)	81348 (43731)	81347 (43755)
High pressure	28625 (43680)	-	-

**QR axle**

Axle QR D12,7x99	for C6 and Maxx	<b>83492</b>
Axle QR Drum brake	for C5 Drum brake	<b>81325</b>

**One arm drive**



**Drive unit QR**

20"	84101
22"	84102
24"	84103


**Rear axle attachment**

	Config no	
Standard D-E	43678, 43762 to 43767	<b>24004</b>
High A-C	43679, 43768 to 43773	<b>24019</b>

**Rear axle attachment - One arm drive QR**


	Config no	
Standard D-E	43734 to 43740	<b>24004</b>
High C (A+B not applicable)	43741 to 43747	<b>24019</b>

\*including assembly kit, crossbar and telescopic shaft



	Assembly kit	Crossbar one arm drive QR	Telescopic shaft
sw 35 cm	24071	24072	24171
sw 37.5 cm	24071	24073	24171
sw 40 cm	24071	24074	24172
sw 42.5 cm	24071	24075	24172
sw 45 cm	24071	24076	24173
sw 47.5 cm	24071	24077	24174
sw 50 cm	24071	24078	24174

**Castors**



**Castors**

		Config no	Item no
4" 100 x 34	max user weight 100 kg	83344	<b>28919</b>
5" 125 x 28	lightweight	83867	<b>27299</b>
5" 125 x 34		83345	<b>28921</b>
6" 150 x 34		83346	<b>28922</b>

**Front forks inkl axle**

	Seat height and castor size determines the required front fork.	
XS		<b>28923</b>
S		<b>28924</b>
S+25		<b>28925</b>

**Anti-tips**



**Without anti-tips**

Without anti-tips	22166	
With anti-tips		
Model 1	43641	<b>24163-1/-2</b>
Model 2	43642	<b>24164-1/-2</b>
Model 3	43643	<b>24165-1/-2</b>
Model 4	43644	<b>24166-1/-2</b>

**Brakes**

**Scissor brake**



	Config no	Item no
not with solid tyres	Right Left 289150-1/-2	<b>28915-1/-2</b>

**Knee lever brake**



Black angled handle	Right Left 289170-1/-2	<b>28917-1/-2</b>
Red angled handle	Right Left 289160-1/-3	<b>28916-1/-2</b>

**One hand brake**



Extended foldable handle	Right Left	<b>28918-1/-2</b>
--------------------------	------------	-------------------

**Leg supports (hangers)**

Config no

Item no

		Without leg supports		Right	Left	22148/22149
<b>Fixed angle</b>		Active, angle 80°, lightweight alu	lower leg length 31-49 cm	Right	Left	<b>28888</b>
		Narrow short, angle 80° steel	lower leg length 23-33 cm	Right	Left	<b>25571-01</b>
<b>Elevated</b>		Mod 3	lower leg length 31-49 cm	Right	Left	<b>26100</b>
<b>Amputee</b>		Amputee support				
			Plush			<b>25516-60</b>
			Hygiene			<b>25516-63</b>

**Foot supports**

Item no

		Without foot supports		Right	Left	22150/22151	
<b>Divided</b>		Flip up	attachment tube:				
			short	Right	Left		
			std +8 cm	Right	Left		
<b>One piece</b>		Flip up					
							
			<b>Divided short</b>	<b>Divided std +8</b>			
			sw 35 cm	25653-1/2	25641-1/2		25936
			sw 37.5 cm	25654-1/2	25642-1/2		25936
			sw 40 cm	25655-1/2	25643-1/2		25937
			sw 42.5 cm	25656-1/2	25644-1/2		25937
			sw 45 cm	25657-1/2	25645-1/2		25937
			sw 47.5 cm	25738-1/2	25736-1/2		25937
			sw 50 cm	25658-1/2	25646-1/2		25937

**Push handles**

Config no

Item no

<b>Push handles</b>		Without push handles				22618		
		Height adjustable						
			Active			43688	<b>28873</b>	
				Swing away		43733	<b>24591</b>	
		Fixed				43689	<b>28875</b>	
<b>Push handles with drumbrake</b>		Height adjustable	100 mm handle and 100 mm grip			23540	<b>27625-01</b>	
<b>Bow handle</b>		Height adjustable						
			sw 35 cm				<b>27439-01</b>	
		Height & angle adjustable		sw 37.5 cm				<b>27161</b>
				sw 40 cm				<b>27162</b>
				sw 42.5 cm				<b>27163</b>
				sw 45 cm				<b>27164</b>
	sw 47.5 cm					<b>27165</b>		
	sw 50 cm				<b>27166</b>			

**Arm supports and mudguards**

Config no

Item no

		Without arm supports		Right	Left	22178/22179	
<b>Arm support</b>		Active					
			25 cm	Right	Left	288550-1/-2	<b>28855-1/-2</b>
			38 cm	Right	Left	288560-1/-2	<b>28856-1/-2</b>
<b>Side guard</b>		Active profile 200		Right	Left	245920-1/-2	<b>24592-1/-2</b>

**Back supports & Covers**

Config no

Item no

**3A back support**



inkl tension adjustable back

back height 32 - 45 cm (extension +6 cm available as accessory)	Pre-set back height	<b>36 cm</b>
recline -14° - +11°	Pre-set recline angle	<b>- 4°</b>
lumbar angle -16° - +16°	Pre-set lumbar angle	<b>0°</b>
	sw 35-40 cm	<b>62953-60</b>
	sw 42.50-50 cm	<b>62954-60</b>

**Covers**

Airmesh

Plush

Plush high (for back height over 46-51 cm)

Without cover



	Airmesh	Plush	Plush high
sw 35 cm	63204-68	62941-60	63020-60
sw 37.5 cm	63205-68	62942-60	63021-60
sw 40 cm	63206-68	62943-60	63022-60
sw 42.5 cm	63207-68	62944-60	63023-60
sw 45 cm	63208-68	62945-60	63024-60
sw 47.5 cm	63209-68	62946-60	63025-60
sw 50 cm	63210-68	62947-60	63026-60

**Seating**

Config no

Item no

Seat upholstery

sw 35 cm	<b>63362-60</b>
sw 37.5 cm	<b>63363-60</b>
sw 40 cm	<b>63364-60</b>
sw 42.5 cm	<b>63365-60</b>
sw 45 cm	<b>63366-60</b>
sw 47.5 cm	<b>63367-60</b>
sw 50 cm	<b>63368-60</b>

**ACCESSORIES**

**Arm supports**

Pieces

Item no

**Mudguard**



Mudguard profile 155

	20°	22°	24°	25°
	E	S	M	L
	D	S	S	M
	C	S*	S	M
	B	S**	S*	S
	A	S**	S**	S

Right Left

S	<b>24091-1/-2</b>
M	<b>24092-1/-2</b>
L	<b>24093-1/-2</b>

Note: conflict may occur, check manual.

**Sideguard pad**



Active	reduce the seat width 30mm/pair	Right	Left	<b>63372-1/-2</b>
--------	---------------------------------	-------	------	-------------------

**Hemi arm support**



Hemi, horizontal rotation	for item 28856-1/-2	Right	Left	<b>25770-60-1/-2</b>
---------------------------	---------------------	-------	------	----------------------

**Wide and soft arm pad**



8 x 40 cm	for item 28855-1/-2 and 28856-1/-2		<b>2</b>	<b>26873</b>
-----------	------------------------------------	--	----------	--------------

**Cover**



25 cm	for item 28855-1/-2			
	padded plush		<b>2</b>	<b>62282-60</b>
	padded hygiene		<b>2</b>	<b>62282-63</b>
	gel plush		<b>2</b>	<b>26240-60</b>
	gel hygiene		<b>2</b>	<b>26240-63</b>
38 cm	for item 28856-1/-2			
	padded plush		<b>2</b>	<b>62283-60</b>
	padded hygiene		<b>2</b>	<b>62283-63</b>
	gel plush		<b>2</b>	<b>26241-60</b>
	gel hygiene		<b>2</b>	<b>26241-63</b>

**Attachments for medical devices**

Pieces

Item no

**Crutch and cane holder**



				<b>28932</b>
--	--	--	--	--------------

**IV stand**



For two IV bags complete with attachment			<b>1</b>	<b>28323</b>
--	--	--	----------	--------------

**Back supports** Item no

**Back extension 3A**



Adds 6 cm to the back, for 38-51 cm adjustment

sw 35-40 cm	28658
sw 42.5-50 cm	28659

**Axiom back**



Assembly kit DEX 3A Axiom

24046

Axiom PL width x height

36 x 26	KI124045
36 x 31	KI124046
36 x 36	KI124047
36 x 41	KI124048
36 x 46	KI124049
41 x 26	KI124050
41 x 31	KI124051
41 x 36	KI124052
41 x 41	KI124053
41 x 46	KI124054
46 x 26	KI124057
46 x 31	KI124058
46 x 36	KI124059
46 x 41	KI124060
46 x 46	KI124061
51 x 26	KI124064
51 x 31	KI124065
51 x 36	KI124066
51 x 41	KI124067
51 x 46	KI124068

**Covers**

Enter item number from below:

	Comfort	Comfort high	Tidy/hygiene
sw 35 cm	62956-60	63033-60	63020-60
sw 37.5 cm	62957-60	63034-60	63021-60
sw 40 cm	62958-60	63035-60	63022-60
sw 42.5 cm	62959-60	63036-60	63022-61
sw 45 cm	62960-60	63037-60	63022-62
sw 47.5 cm	62961-60	63038-60	63025-60
sw 50 cm	62962-60	63039-60	63026-60

**Brakes** Item no

**Extension**



Brake extension for knee lever brake

Right Left

27530-1/-2

**Fixations and brackets** Item no

**Cross brace**



with snaplock for 3A back support

sw 35 cm	28114
sw 37.5 cm	28115
sw 40 cm	28116
sw 42.5 cm	28117
sw 45 cm	28118
sw 47.5 cm	28695
sw 50 cm	28696

**Head supports** Item no

**Attachment**



Assembly on 3A back support

sw 35 cm	28125
sw 37.5 cm	28126
sw 40 cm	28127
sw 42.5 cm	28128
sw 45 cm	28129
sw 47.5 cm	28130
sw 50 cm	28131

**Head support**



Traditional

26x14 cm incl turtle bar 350 mm	
with plush cover	28534-60
with hygiene cover	28534-65

With side support

incl turtle bar 250 mm	
with plush cover	28536-60
with hygiene cover	28536-65

**Memory function**



Memory function

for head support	28564
------------------	-------

**Leg and foot supports**

Pieces

Item no

**Fixed angle**



Swing away, detachable	lower leg length 31-49 cm			
	Narrow angle 80°	Right	Left	25570-01
	Wide angle 70°	Right	Left	25574-01



Lockable, swing away, detachable	lower leg length 31-49 cm			
	Narrow angle 80°	Right	Left	25573-01
	Narrow angle 80° short (23-33 cm)	Right	Left	25572-01
	Wide angle 70°	Right	Left	25575-01

Mod 1	lower leg length 31-49 cm	Right	Left	25660-01
add on:	Attachment for calf support			24544-01
	Attachment for calf support flip-up			27322-01
	Calf support, plush item:			
	sw 35-37.5 cm			62105-60
	sw 40-42.5 cm			62104-60
	sw 45-47.5 cm			62484-60
	sw 50 cm			62451-60

**Foot support extension**



Extension, plastic	for right & left foldable foot support			
	sw 40-42.5 cm			2 50798
	sw 45-47.5 cm			2 50799
	sw 50-52.5 cm			2 50800

**Add-on extension**



Extension, metal	for right & left foldable foot support			
Small, one piece	sw 35-50 cm			28774
Medium	sw 40-47.5 cm	Right	Left	28775-1/-2
Large	sw 50 cm	Right	Left	28776-1/-2

Guide to link right & left extension into one piece				28773
---	--	--	--	-------



Side protection	for extension, metal			2 28772
-----------------	----------------------	--	--	---------

**Foot box**



Foot box	Soft padded			
Medium	sw 40-47.5 cm			28642
large	sw 50 cm			28643

**Thigh support**

Not with lockable or elevated leg supports



Distal thigh support	for fixed leg supports (not active)	Right	Left	28777-1/-2
----------------------	-------------------------------------	-------	------	------------

**Heel strap**



Heel strap	for divided foot supports	Right	Left	24458
------------	---------------------------	-------	------	-------

**Cover foot support**



For flip up foot plates	padded plush	Right	Left	
	sw 35-40 cm			63188-60-1/-2
	sw 42.5-50 cm			63189-60-1/-2



For one piece foot plate	padded plush			
	sw 35-37.5 cm			63234-60
	sw 40-45 cm			63190-60
	sw 45-50 cm			63191-60

**Calf support**



Cover, hygiene	for elevated leg support item 26100			2 62762-63
----------------	-------------------------------------	--	--	------------



Calf strap	adjustable in length			
	sw 35-37.5 cm			25356
	sw 40-42.5 cm			25357
	sw 45-47.5 cm			25358
	sw 50 cm			25359



Padding for calf strap				
	20 cm			26845
	30 cm			26846
	40 cm			26847



Panel	Plush			
	75 cm ( sw 35-47.5)			63186-60
	90 cm (sw 50)			63187-60

Postural supports		Pieces	Item no			
<b>Attachment</b>		Attachment for assembly of 2- and 4-point positioning belts, set of 2	28933			
<b>Positioning belt</b>		2 point, plastic push release				
		100 cm	27904			
		128 cm	28544			
<b>Wedge</b>	 	Soft	Plush			
		Short, 15 cm	2	63012-60		
		Long, 30 cm	2	63013-60		
		Cell foam	Polyethylene	pair		
		90 x 20 x 130 mm		28030		
		110 x 20 x 185 mm		28139		
		175 x 25 x 200 mm		28140		
<b>Lateral support</b>	 	Side cushion	Right	Left	63171-60-1/2	
		Side stop, straight	gives extra support to side cushion		2	28136
<b>Back width extension</b>	 	Width extension, 30 mm	combine with wedges		2	28173
		Widening pad	padded cover with flexible insert		2	28637
<b>Trunk support 3A</b>	   	Swing away & detachable	Adjustable in height, depth and width			
		0 mm (straight profile)	Right	Left		28181-1/-2
		-15 mm	Right	Left		28180-1/-2
		-45 mm	Right	Left		28141-1/-2
		Detachable	Adjustable in height, depth and width			
		0 mm (straight profile)				28142
		+15 mm				28143
		-15 mm				28144
		-45 mm				28145
		Soft	Adjustable in height		2	27395
		Swing away R82 pad	Adjustable in height and depth			
		Medium	Right	Left		27915-1/-2
		Large	Right	Left		27916-1/-2
<b>Cover for trunk support</b>		Soft cover	Fits item 28142, 28143, 28144, 28145, 28181-1/-2, 28180-1/-2, 28141-1/-2			28647
<b>Attachment for harness</b>		Upper attachment	to be mounted on head support stem 15x15 mm			28186

Seating		Pieces	Item no	
<b>Universal seat cushion</b>		Plush cover		
				
				
		<b>Plush</b>	<b>Tidy</b>	
		sw 35 cm	62230-60	63130-63
		sw 37.5 cm	62231-60	63131-63
		sw 40 cm	62232-60	63132-63
		sw 42.5 cm	62233-60	63133-63
		sw 45 cm	62234-60	63134-63
		sw 47.5 cm	62374-60	63135-63
		sw 50 cm	62266-60	63136-63
<b>Seat wedge</b>		Comfort wedge	Provides extra seat contour for seat cushion Universal.	
		sw 35-37.5 cm		80714
		sw 40-45 cm		80715
		sw 47.5-50 cm		80779
<b>Widening kit</b>		sw + 1.2 cm	Not with drum brake	
				24079

**Trays**

Pieces

Item no

**Tray**



Transparent	for 38 cm arm support 28856-1/-2		
	sw 35 cm		24417
	sw 37.5 cm		25187
	sw 40 cm		24418
	sw 42.5 cm		25188
	sw 45 cm		24419
	sw 47.5 cm		25731
	sw 50 cm		24601

**Hemi tray**



Transparent	for 25 cm arm support 28856-1/-2		
	sw 35 cm		26556
	sw 37.5 cm		26557
	sw 40 cm		26558
	sw 42.5 cm		26559
	sw 45 cm		26560
	sw 47.5 cm		26561
	sw 50 cm		26562

Transparent	for 38 cm arm support 28856-1/-2		
	sw 35 cm		26563
	sw 37.5 cm		26564
	sw 40 cm		26565
	sw 42.5 cm		26566
	sw 45 cm		26567
	sw 47.5 cm		26568
	sw 50 cm		26569

Anti glide	for hemi tray		
			81633

**Half tray**



Foldable	for arm support 28855-1/-2 & 28856-1/-2	Right	Left	
				27352-1/-2

**Attachment for tray**

Round tubes	fits tubes up to ø 18mm	Right	Left	
				27956-1/-2

**Wheels**

Pieces

Item no

**Spokeguard**



Transparent	for C6 & Maxx		
	20"	2	28934
	22"	2	28935
	24"	2	28936



Transparent	for C5 DB		
	20"	2	28816-28
	22"	2	28817-28
	24"	2	28818-28

**Additional information to order:**

---



---



---



---



---

**Etac Supply Center AB**  
 Phone: +46 371 58 73 30  
 Mail: orderexport@etac.com  
 Website: www.etac.com