



CESA Abdu Active-wheelchair for kids & adolescents

Order form incl. Exportprices (€) valid until revoked, release date 02/2025

Basic configuration inclusive:

- Footrest
- Adjustable seat depth
- Seat- and back panel
- Wheelbase adjustment
- HOGGI light wheels + brake

Price:

□ Offer	□ Order
Order number / reference	Date
Invoice address	
Company	Customer number
Street	City, Zip code
E-Mail	Telephone
Fax	
Delivery address	
Company	
Street	City, Zip code



Basic configuration

- Boxframe-Active wheelchair with 6 cm abduction. Aluminum construction powder coated with growth seat depth
- 3 frame sizes:
- Size 1: Seat width (SW) 24 30 cm in 2 cm steps
- Size 2: Seat width (SW) 26 36 cm in 2 cm steps Size 3: Seat width (SW) 30 38 cm in 2 cm steps
- Convertible to other seat width by part replacement
- height 36 49 cm
- seat angle 0°-12°

- seat frame angle 100°
- Active degree change 1 8 cm
- back angle 80 105°
- Clothes cover
- HOGGI light rear wheels including push rims
- HOGGI light wheel locks
- Camber 3°,6°, 9° or 12° Load capacity: 60 kg (size1), 80 kg (size 2), 100 kg (size 3)

Minimum information (Without this information your order can not be handled.)									
Frame colour	(Please see table "frame colours")								
Seat width	□ 24	□ 26	□ 28	□ 30	□ 32	□ 34		□ 36 □ 38	
Camber	□ 3° (3	3274-1291)	□ 6°	° (3274-12	92) 🗆 9	9° (3274-12	293)	□ 12° (3274-1294)	
Seat height		(36-46)	Seat	angle*	(C)° - 12°)			
*Please see att	tachmeı	nt of "sea	at meas	uremen	ts"				
Presettings									
Seat depth (SD) ¹				(24 –	44 cm)		[ı	Lower leg length (LLL) 4	(15 - 47 cm)
Backrest angle ²				(80 -	105°)				
Active degree ³				(1 - 8	cm)	•			 _

¹ Please see table seat depth

³ Please see drawing "active degree"

² Angle compared to the vertical line

⁴ Please see table Lower leg length

	varia	Order no.	Colou	r Description		C	ty.	
		3227-00SW	20.00	CESA Abdu size 1 (20")			pc.	
		3228-00SW		CESA Abdu size 2 (22")			pc.	
		3229-00SW		CESA Abdu size 3 (24")			pc.	
with		3220-21SW	052	Seat panel		01 1		incl.
or		3220-2199		Without Seat panel			set	
<u> </u>	=	3220-2110		Mounting set for custom made seat panel			set	
with		3220-31SW		Back base "rigid" (back height 20)		02 1		incl
or		3220-32SW		Back base "rigid" (back height 25)			set	incl
or		3220-33SW		Back base "rigid" (back height 30)			set	incl
or		3220-34SW		Back base "rigid" (back height 35)			set	incl
or		3220-35SW		Back base "foldable & angle adjustable" (back height 20) (Upchar	ae) (03 1		
or		3220-36SW		Back base "foldable & angle adjustable" (back height 25) (Upchar			set	
or		3220-37SW		Back base "foldable & angle adjustable" (back height 30) (Upchar			set	
or		3220-38SW		Back base "foldable & angle adjustable" (back height 35) (Upchar			set	
				(back angle 78-106 ° in 6 cm steps)	<u> </u>			
with		3220-51SW		Back panel in frame color (back height 20) SW24-36 only		04 1	set	incl.
or		3220-52SW		Back panel in frame color (back height 25)			set	incl.
or		3220-53SW		Back panel in frame color (back height 30)			set	incl
or or		3220-54SW		Back panel in frame color (back height 35)			set	incl
or		3220-56SW		Nylon back cover (back height 25-35*)		05 1		incl
or		3220-57SW		Nylon back cover (back height 30-40*)			set	incl
or		3220-58SW		Nylon back cover (back height 35-40*)			set	incl.
<u> </u>		0220 00011		* height adjustment only with 3251-2175 or 3261-5102				
or		3220-5199		Without back or back cover		1	set	
· ·		3220-5110		Mounting set for custom made back panel			set	
with		3227-48SW		Pipe bracket footrest standard		06 1		incl
or		3227-41SW		Footrest system standard, one piece, angle adjustable, fixed		07 1		incl
or		3227-43SW		Footrest system, one piece, angle adjustable, foldable (Upchar		08 1		
or		3227-45SW		Footrest system, two piece, angle adjustable, foldable (Upchar		09 1		
or		3227-46SW		Footrest system, one piece, angle adjustable, for short LLL* (Upchar		10 1	-	
or		3227-47SW		Footrest system, one piece, angle adjustable, for short LLL* (Upchar			set	
<u> </u>		0227 17011		* only up to SW 36	90,	•		
or		3227-40SW		Footrest system, one piece foot plate, fold backwards		11 1	set	
		3220-880x	346	Calf strap with upholstery, length according to seat width		12 1		
		3220-7300		Tie down kit (minimum back rest height 30) *		13 1		
		3274-7301		Back rest extension (with back panel only)			set	
		3274-7370	346	Cushion for back rest extention (Upchar	ae)		рс	
		02111010	0.0	* Use with back rest extension if there is no support for shoulder and			P -	
				head mounted in the transport vehicle.	-			
with		3275-52SW		Push-bar	1	14 1	рс.	
or		3275-53SW		Push-handles		15 1		
or		3281-5200		Push handles displaced to the back, height adjustable		16 1	-	
or		3281-5203		Single push handles, foldable		17 1	-	
				Teleskopik tubes, plugged into in back tubes for back				
		3251-2175		height adjustment (from BH 25) *	1	18 1	set	
				* only in connection with push-bar, push-handles or one				
				hand push-handle				
		3261-5102		Single push handle, plugged into in back tubes (from back height 25)		19 1	set	
or								
		3281-5201		Standard single push handles 90°, size 1	9	20 1	set	
or or or		3281-5201 3281-5202		Standard single push handles 90°, size 1 Standard single push handles 90°, size 2	2	20 1 1	set set	

		Order no.	Colour Description	_	Qty.	
vith		3227-1750	HOGGI light sport brake	22	1 set	incl
r		3228-1700	Standard brakes CESA Abdu		1 set	incl
/ith			Clothes cover		1 set	incl
r		3275-160x	Fender (Upcharge)	23	1 set	
r		3276-160x	Fender with height adjustable & detachable arm rests (Upcharge)	24	1 set	
r		3275-169x	Fender with integrated wheel lock levers *	25	1 set	
r		3276-169x	Fender with integrated brake system *	26		
r	Ц	3270-1098	and with height adjustable and detachable arm rests (Upcharge)	26	1 set	
vith		7000-0051	PU-Armrest pads, 235 mm long		1 pair	inc
r		7000-0052	PU-Armrest pads, 270 mm long		1 pair	inc
		3240-8202	Therapy tray size 2, SW 24 and 26 cm **	27	1 pc	
		3240-8203	Therapy tray size 3, SW 28, 30 and 32 cm **	_	1 pc	
		3240-8204	Therapy tray size 4, SW 34, 36 and 38 cm **		1 pc	
			* for 22 ", SA-0512 must be selected for SH 43 + 45		'	
			* for 24", SA-0512 must be selected for SH 47 + 49			
			** only in conjunction with arm rests			
			,,			
lum	inium	fender				
		Order no.	Colour Description		Qty.	
vith		3277-1604	Wheel guards aluminum in frame color, 20-24"	_	1 set	
			Wheel guards aluminum in frame color, 20-24" with			
r		3278-1604	height adj. and detachable arm rests	29	1 set	
r		3277-1605	Wheel guards aluminum in frame color, 20-24", wide for 3° camber	_	1 set	
<u>,, </u>		0277 1000	Wheel guards aluminum in frame color 20-24" with		1 001	
or		3278-1605	height adj. a. detach. arm rests, wide for 3° camber		1 set	
,		0270 1000	Wheel guards aluminum in frame color 20-24" with		1 001	
or		3277-1694	integrated wheel lock levers *	30	1 set	
,		3211-1094	Wheel guards alu. frame color 20-24"with integrated		1 361	
or		3278-1694	brake system, height adjust, detachable Armrests *	31	1 set	
Л		3270-1094	Wheel guards aluminum in frame color 20-24" with		1 361	
		3277-1695	integrated wheel lock levers, wide for 3° camber *		1 set	
or	ш	3211-1095	Wheel guards ALU fr-color 20-24"with integ. brake sys., height		1 561	
~		3278-1695	adjust. detach. Armrests, wide for 3° camber *		1 set	
or		3270-1093	* for 22 " SA-0512 must be selected for SH 41, 43 + 45		1 361	
			* for 24" SA-0512 must be selected for SH 47 + 49			
			101 24 SA-0312 IIIUSI DE SEIECIEU 101 SH 47 + 49			
Poor	whoo	lo				
Keai	whee	Order no.	Colour Description		Qty.	
vith		1296-0xxx	Rear wheel <i>HOGGI</i> light	_	1 set	inc
or		1290-0xxx	<u> </u>		1 set	IIIC
ונ	ш	1297-1333	<u> </u>	33	1 561	
. 20.	_	100	* in combination with push-bar or push-handles		4 1	
vith	므	129x-xx1x	Pneumatic tires 1"		1 set	inc
or .:u-	<u>-</u>	129x-xx2x	Flat free tires (20x1 3/8", 22x1" and 24x1")		1 set	inc
vith		129x-xxx0	Without push-rims	- 0.4		
r		129x-xxx1	Push rims aluminium anodised, "standard" mounting		1 set	inc
r		129x-xxx2	Push rims aluminium anodised, "high" mounting		1 set	inc
r		129x-xxx3	Push rims stainless steel, "standard" mounting (Upcharge)	_	1 set	
or		129x-xxx4	Push rims stainless steel, "high" mounting (Upcharge)	37	1 set	
vith			☐ Push-rim mounting "narrow"			
r			☐ Push-rim mounting "wide"			
			Closed ergonomic hand rims 22 ", black anodized, for	68		
r		1204-1155	Hoggi-light wheels (Upcharge)	00	1 Set	
			Closed ergonomic hand rims 24 ", black anodized, for			
		1204-1156	Hoggi-light wheels (Upcharge)		1 Set	
or			"HOGGI Grip Plus" hand rim inserts black, for closed			
or		1204-106X	ergonomic hand rims (Upcharge)	69	1 Set	
or vith		1204-1007	<u> </u>	-=		
		1204-1007	Aluminum hand rim with plastic anti-slip coating, black.	0.0		
		1204-100X	Aluminum hand rim with plastic anti-slip coating, black, standard mounting * (Upcharge)	66	1 pair	
			standard mounting * (Upcharge)	66	1 pair	
				_	1 pair 1 pair	

Poar	whee	le						
INEAI	WIICC		Colour Description		Q	ty.		
with		1296-4211	<u> </u>	(Upcharge)	38 1			
with		1296-4311	<u> </u>	(Upcharge)		set		
or		1296-4411		(Upcharge)		set		
			* incl. black alu push-rim	(-				
Spok	e gua	rds // Old motif	s // Sale					
			Colour Description		Q	ty.		
		1204-101x	Spoke guard, transparent *		39 1	set		
		1204-101x	Spoke guard, transparent, for drum brakes wheels *		1	set		
		1204-101x	Spoke guard, printed **	(Sale)	40 1	set		
		1204-101x	Spoke guard, printed, for drum brakes **	(Sale)	1	set		
			* Motifs 2021 only possible in combination with 1204-2001-X					
			** please enter code of your print design see attachment or b "spoke guard" // Only while stocks last!	orochure				
			*** printed spoke guards are not available for 20" wheels					
Snok	e ans	rds // New moti	fs 2021 (with 10% dealer discount)					
Spok	J gua		Colour Description		C	ty.	Price	€
			Spoke guard Special interior foiling, single-coloured			,-		
		1204-2001-000			1	set		
		1204-2001-2X				set		
			Spoke guard Special interior foiling, printed according to					
		1204-2001-SA	customer requirements ¹			Price	on requ	es
			1 only in combination with transparent spoke guard				•	
			² please specify RAL tone					
			³ Spoke guard motif selectable in "Order form spoke-					
			guards" (available on the website)					
Front	t casto	ors						
		Order no.	Colour Description		Q	ty.		
with		1250-1002S	Wheel with rubber tire, black 100 x 32 mm *		41 1	set	incl	
or		4050 40000	Wheelshild make and a the late 405 and 00 areas		_	set	!.a.a.l	
or		1250-1003S	Wheel with rubber tire, black 125 x 32 mm		1	301	incl	
OI		1250-1003S 1250-1005S	Wheel with rubber tire, black 125 x 32 mm Wheel with rubber tire, black 140 x 40 mm		1	set	incl	
or or		1250-1005S 1249-1005	Wheel with rubber tire, black 140 x 40 mm	(Upcharge)		set		
		1250-1005S 1249-1005 1249-1006	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm	(Upcharge)	1 42 1 1	set set set		•
or		1250-1005S 1249-1005	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm		42 1	set set set		
or or		1250-1005S 1249-1005 1249-1006	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm	(Upcharge)	42 1 1 43 1	set set set		
or or or		1250-1005S 1249-1005 1249-1006 1221-1003	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm*	(Upcharge) (Upcharge)	42 1 1 43 1	set set set		·
or or or		1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3°	(Upcharge) (Upcharge)	42 1 1 43 1	set set set		
or or or	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm	(Upcharge) (Upcharge)	42 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set set set set set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 Solution of the control of th	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3°	(Upcharge) (Upcharge)	42 1 1 43 1 1	set set set set set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 PS Order no. 3220-1801 3220-1802	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right	(Upcharge) (Upcharge)	42 1 1 43 1 1 1 44 1 1	set set set set set pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left	(Upcharge) (Upcharge)	42 1 1 43 1 1 1 43 1 1 1	set set set set set pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 PS Order no. 3220-1801 3220-1802	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right	(Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 45 1 1	set set set set set pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels *	(Upcharge) (Upcharge)	42 1 1 43 1 1 1 44 1 45 1	set set set set set pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right	(Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 45 1 1	set set set set set pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels *	(Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 45 1 1	set set set set set pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end	(Upcharge) (Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 1 45 1 46 1	set set set set set pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted	(Upcharge) (Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 1 45 1 46 1	set set set set set pc. pc. pc. pc. set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he	(Upcharge) (Upcharge) (Upcharge)	42 1 1 43 1 1 1 44 1 1 45 1 1 46 1	set set set set set pc. pc. pc. pc. set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 Solution of the property of the proper	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he G 6 = BH 20, □ 7 = BH 25, □ 8 = BH 30, □ 9 = BH 35	(Upcharge) (Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 1 45 1 1 46 1 47 1 1 1	set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SS Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910 1204-101x 3222-1xSW	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Seat width extension kit of 2 cm, "foldable" back base, back G G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Ankle hugger, size 1	(Upcharge) (Upcharge) (Upcharge)	42 1 1 43 1 1 1 44 1 1 45 1 1 46 1	set		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910 1204-101x 3222-1xSW 3229-1xSW 3201-6400 3203-6400	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he G 6 = BH 20, □ 7= BH 25, □ 8 = BH 30, □ 9 = BH 35 Seat width extension kit of 2 cm, "foldable" back base, back □ 6 = BH 20, □ 7= BH 25, □ 8 = BH 30, □ 9 = BH 35	(Upcharge) (Upcharge) (Upcharge)	42 1 43 1 1 44 1 45 1 46 1 47 1 1 48 1 1	set set set set set set pc. pc. pc. pc. pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910 1204-101x 3222-1xSW 3229-1xSW 3201-6400 3203-6400 3220-6100	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Seat width extension kit of 2 cm, "foldable" back base, back G G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Ankle hugger, size 1	(Upcharge) (Upcharge) (Upcharge)	42 1 43 1 1 44 1 45 1 46 1 47 1 1 48 1	set set set set set set pc. pc. pc. pc. pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910 1204-101x 3222-1xSW 3229-1xSW 3201-6400 3203-6400	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Seat width extension kit of 2 cm, "foldable" back base, back he G 6 = BH 20, G 7= BH 25, G 8 = BH 30, G 9 = BH 35 Ankle hugger, size 1 Ankle hugger, size 2	(Upcharge) (Upcharge) (Upcharge)	42 1 1 1 43 1 1 1 44 1 45 1 1 46 1 47 1 1 1 48 1 1 49 1	set set set set set set pc. pc. pc. pc. pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 2S Order no. 3220-1801 3220-1802 3275-1803 3275-1804 3275-1910 1204-101x 3222-1xSW 3229-1xSW 3201-6400 3203-6400 3220-6100	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm *100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he Gebruary Berlassion of the seat width extension kit of 2 cm, "foldable" back base, back he Gebruary Berlassion of	(Upcharge) (Upcharge) (Upcharge)	42 1 1 43 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	set set set set set set pc. pc. pc. pc. pc. pc. pc. pc. pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 28 Order no. 3220-1801 3220-1802 3275-1804 3275-1804 3275-1910 1204-101x 3222-1xSW 3229-1xSW 3201-6400 3203-6400 3220-6100 3220-6101	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he Gebruary Berlands	(Upcharge) (Upcharge) (Upcharge)	44 1 45 1 46 1 48 1 49 1 50 1	set set set set set set pc.		
or or or	ssorie	1250-1005S 1249-1005 1249-1006 1221-1003 1221-1004 SOLUTION SOLUTION S	Wheel with rubber tire, black 140 x 40 mm Skater wheel with LED 100 x 24 mm * Skater wheel with LED 125 x 24 mm PU-wheel with plastic design rim 100 x 34 mm* PU-wheel with plastic design rim 125 x 34 mm * 100 mm wheels not with camber 3° Colour Description Anti tip, swingaway, assembly left Anti tip, swingaway, assembly right Tip assist left Tip assist right Bumper wheels * * not in combination with outdoor front end Push-rim cover, silicone black fluted Seat width extension kit of 2 cm, "rigid" back base, back he Gebrary Berland Seat width extension kit of 2 cm, "foldable" back base, back he Gebrary Berland Seat width extension kit of 2 cm, "foldable" back base, back he Ankle hugger, size 1 Ankle hugger, size 2 Lap belt, black for rigid back base only Lap belt, black for angle adj. back base only 4-Point lap belt, size S (SW 24 - 30)	(Upcharge) (Upcharge) (Upcharge)	42 1 43 1 1 44 1 1 45 1 1 46 1 47 1 1 48 1 1 49 1 1 50 1 1	set set set set set set pc.		


.550	20.100	for Seat- and E Order no.		r Description			Qty.
		3231-7800	346	Abduction block size 1, swing away, detachable, (9 x 6 x	9 cm)	52	1 set
		3231-7900	346	Abduction block size 2 swing away, detachable, (11 x 8 x		_	1 set
		3233-7800	346	Abduction block size 3 swing away, detachable, (12 x 9 x			1 set
		3220-71SW	346	Seat cushion; 3 cm thick	,	53	1 pc.
		3276-7100	346	Back cushion for back panel, 2,5 cm thick		54	1 pc.
				MDP pad holder swing away and detachable for		F.F.	
/ith		2240-1505		attachment to round tube D25 mm, left side		55	1 pc.
				MDP pad holder swing away and detachable for		_	
/ith		2240-1506		attachment to round tube D25 mm, right side		_	1 pc.
	_			MDP pad holder fixed for attachment to round tube D25		56	
r		2240-1405		mm, left/right side			1 pc.
/ith		2240-1461	346	MDP trunk support size 1 (8 x 10 x 2 cm), cover black		57	1 pc.
r		2240-1462	346	MDP trunk support size 2 (10 x 12 x 2 cm), cover black			1 pc.
r		2240-1463	346	MDP trunk support size 3 (12 x 13 x 2 cm), cover black		_	1 pc.
r		2240-1471		MDP trunk support curved size 1 (6 x 11,5 x 2,5 cm), PU	w/o cover	58	1 pc.
r		2240-1472		MDP trunk support curved size 2 (8 x 14 x 2,5 cm), PU w	o cover		1 pc.
		3201-3830		Universal headrest bracket (3245-7800 or third-party prod	duct) *	59	1 pc.
		3245-7800	306	Headrest with occiput upholstery		60	1 pc.
				* starting from backrest height 30 cm		_	
		3200-0401	•	Belt routing as a T-strap above the shoulders		61	1 pc.
usto	m-ma						
				r Description			Qty.
		3220-80SW	346	Contoured seat cushion with cover, black, SW 24 - 32		62	1 pc.
		3220-80SW	346	Contoured seat cushion with cover, black, SW 34 - 38			1 pc.
		3275-7200	346	"HOGGI align" Contoured back cushion, black		63	1 pc.
		SA-0286/2-KP		Abduction block 30 mm height extension kit *			1 set
				* only in combination with abduction block and contoured			
	<u> </u>	SA-0210-MP		Special Frame colour, RAL code only	(Upcharge)		1 pc.
		6999-0014	060	Special Frame colour, Copper Gold	(Upcharge)		1 pc.
	_	0000 0047		Castor forks and camber adapter powder coated			4 1
	<u> </u>	6999-0017		according to customer requirements * (no glitter) CESA outdoor front end	(Upcharge)	0.1	1 set
		SA-0279/5-KP		* additional costs for retrofitting		64	1 pc.
				Mounting adapter for Outdoor front end aid for "phil &			
		SA-0619/2-KP		teds" sibling seat or universal car seat adapter		65	1 set
		SA-0390		Upholstery in special colour *			
		5A-0390		* please enter colour code or upholstery code respectively			
				Plastic anti-slip coating in custom colour: Pure white (RAL 9010), Silver grey (RAL 7001), Sky blue (RAL		67	
		SA-0572-F-MP		5015), Traffic red (RAL 3020), Pure orange (RAL 2004)*	(Uncharge)	07	1 nair
	Ц	3A-U312-F-IVIP			(Upcharge)		1 pair
	_	SA 0002 MP		* only in combination with HOGGI light rear wheels Maxgrepp Original cell rubber coated push rims	/Linebana-1	70	1 001
	<u> </u>	SA-0093-MP		Maxgrepp Ergo Para (closed push rims)	(Upcharge)	_	1 set
		SA-0094-MP			(Upcharge)		1 set
		SA-0095-MP		Maxgrepp Ergo Para CP (advanced closed push rims)	(Upcharge)	72	1 set
	<u> </u>	SA-0528-MP		Preparation for electric drive Alber "e-fix"	(Upcharge)		1 set
	<u> </u>	SA-0528/1-MP		Tie down kit in combination with auxiliary drives	(Upcharge)	=0	1 set
		SA-0528/2-MP		Preparation for electric drive Alber "Twion, e-motion"	(Upcharge)	-=	1 set
		SA-0315/7-MP		Reconstruction CESA for ProActiv One hand drive	(Upcharge)	_	1 pc.
		SA-0505-MP		Locking of the integrated brake		75	1 pc.
		SA-0594		Carbon fender	(Upcharge)		Price o

Upholstery colours

346 Black 321 Spacer fabric, black (special colour) 348 Grey Soft (special colour) 347 Berry Soft (special colour) 349 Turquoise Soft (special colour)

Frame colours 001 Black (RAL 9005) 020 Yellow green (RAL 6018) 028 Pearl violet (RAL 4011) 056 Turqoise blue (RAL 5018) 029 Pearl beige 002 Silver 021 Greyaluminium (RAL 9007) (RAL 1035) 057 Iron sparkling dark light 003 Pearl ruby red (RAL 3032) **022** White (RAL 9003) 032 Black dull matt (RAL 9005M) 058 Salmon orange (RAL 2012) 004 Pearl night blue 039 Signal violet 059 Pastel blue (RAL 5024) (RAL 5026) 023 Pure orange (RAL 2004) (RAL 4008) 005 Pearl gentiant blue (RAL 5025) 024 Sparkling iron effect 040 Night blue 061 Light pink (RAL 3015) (RAL 5022) 017 Traffic yellow (RAL 1023) 025 Signal blue (RAL 5005) 050 White matt (RAL 9003) 064 Olive green (RAL 6003) 018 Flame red 026 Vermillion (RAL 3000) (RAL 2002) 053 Light green (RAL 6027) 065 Raspberry red (RAL 3027) 066 Pastel green 019 Skyblue (RAL 5015) 027 Heather violet (RAL 4003) 054 Ocean blue (RAL 5020) (RAL 6019)

SA-0210-MP Special colours on request (Enter RAL code , Upcharge



SH = Seat height **LLL** = Lower leg length **SD** = seat depth **BH** = Backrest height **SA** = Seat angle (All measurements are without seat or back rest upholsteries)

Seat height and lower leg length

Seat neight and lower leg length									
	CESA-Abdu Seat height and Lower leg length depending on frame size								
		Foot rest versions							
		3227-41SB	3227-43SB	3227-45SB	3227-46SB	3227-47SB	3227-40SB		
Frame size	SH	Footrest system one piece angle adjustable fixed	Footrest system one piece angle adjustable foldable	Footrest system two piece angle adjustable foldable	Footrest system one piece angle adjustable for short LLL	Footrest system one piece angle adjustable for short LLL	Footrest system one piece fold backwards		
	36	27 - 33	27 - 33	27 - 33	15 - 22	19 - 25	27 - 34		
CESA- Abdu size 1 (SA 5°)	38	27 - 35	27 - 35	27 - 35	15 - 24	19 - 27	27 - 36		
Ab Siz (SA	40	27 - 37	27 - 37	27 - 37	15 - 26	19 - 29	27 - 38		
)	42	27 - 39	27 - 39	27 - 39	15 - 28	19 - 31	27 - 40		
du	37	30 - 34	30 - 34	30 - 34	19 - 24	23 - 27	30 - 35		
SA-Abdu size 2 (SA 5°)	39	30 - 36	30 - 36	30 - 36	19 - 26	23 - 29	30 - 37		
SA-/ size (SA 5	41	30 - 38	30 - 38	30 - 38	19 - 28	23 - 31	30 - 39		
ES Si (S	43	30 - 40	30 - 40	30 - 40	19 - 30	23 - 33	30 - 41		
CE	45	30 - 42	30 - 42	30 - 42	19 - 32	23 - 35	30 - 43		
дп	41	34 - 40	34 - 40	34 - 40	23 - 28	27 - 32	34 - 41		
SA-Abdu size 3 (SA 5°)	43	34 - 42	34 - 42	34 - 42	23 - 30	27 - 34	34 - 43		
SA-A size (SA 5	45	34 - 44	34 - 44	34 - 44	23 - 32	27 - 36	34 - 45		
CES si	47	34 - 44	34 - 44	34 - 44	23 - 34	27 - 38	34 - 45		
ပ	49	34 - 46	34 - 46	34 - 46	23 - 36	27 - 40	34 - 47		

Seat width, seat depth and active degree

CESA-Abdu Seat depth range depending on seat width and active degree (AD)

	AD								
	AD	24	26	28	30	32	34	36	38
	1	24-30	24-32	26-34	28-36				
2°)	2	25-30	25-32	26-34	28-36	***************************************	***************************************	***************************************	***************************************
SA	3	26-30	26-32	26-34	28-36				
1 (SH 38,	4	27-30	27-32	27-34	28-36				
R)	5	28-30	28-32	28-34	28-36				
size 1	6	29-30	29-32	29-34	29-36				
Siz	7	30-30	30-32	30-34	30-36				
	8		31-32	31-34	31-36				
	1		26-32	26-34	28-36	30-38	32-40	34-42	
2°)	2		26-32	26-34	28-36	30-38	32-40	34-42	
SA	3		27-32	27-34	28-36	30-38	32-40	34-42	
(SH 41, SA	4		28-32	28-34	28-36	30-38	32-40	34-42	
<u>R</u>	5		29-32	29-34	29-36	30-38	32-40	34-42	
size 2	6		30-32	30-34	30-36	30-38	32-40	34-42	
Siz	7		31-32	31-34	31-36	31-38	32-40	34-42	
	8		32	32-34	32-36	32-38	32-40	34-42	
	1				32-36	32-38	32-40	34-42	36-44
2°)	2				32-36	32-38	32-40	34-42	36-44
SA	3				32-36	32-38	32-40	34-42	36-44
145,	4				33-36	33-38	33-40	34-42	36-44
3 (SH 45,	5				34-36	34-38	34-40	34-42	36-44
size 3	6				35-36	35-38	35-40	35-42	36-44
Siz	7				36	36-38	36-40	36-42	36-44
	8					37-38	37-40	37-42	37-44


Spoke guard print design (for detailed images see attachment or brochure "spoke guard")




Colour code

201	HOGGI blue	205	Train
202	Wonderland	206	Dragon
203	Mouse	207	Circus
204	Water world		


CONFIGURATIONS // ACCESSORIES // CESA Abdu



CONFIGURATIONS // ACCESSORIES // CESA Abdu



CONFIGURATIONS // ACCESSORIES // CESA Abdu





Carbon fender