

## Adaptive wheelchair *Motus CV*. Master order form

### Customer

Cust. no.

Name

Street no.

PC, city

### Shipping address (if different from customer address)

Name

Street no.

PC, city

Com.

Name \_\_\_\_\_ Date \_\_\_\_\_ Signature \_\_\_\_\_



**Cost estimate**



**Order**



**Attachment for custom fabrication  
enclosed**



By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

### Standard equipment

Article number: 480F61=2\_AA02\_C

**Price: x.xxx,- €**

valid from 01.01.2024 - 31.12.2024

- Aluminium tube frame with cross brace
- Integrated leg support holders
- Single-panel foot plates, angle-adjustable
- Back support tubes with different height setting options
- Back support upholstery, adaptable
- Clothing guard side panels
- Drive wheels with hollow rims and quick-release axles, 1" tyres
- Knee lever wheel lock 4.0

**Max. user weight: 125 kg/275 lbs**

Crash-tested according to ISO 7176-19

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.  
Please use the spare parts catalogue for spare parts orders.

# Adaptive wheelchair *Motus CV*.

## Master order form

Connection of power add-on drive		Price
<input type="radio"/> MZ23	Klaxon Twist pull device (only valued for Germany, Switzerland and France)	Add. charge
<input type="radio"/> MZ24	Klaxon Twist push device (only valued for Germany, Switzerland and France)	Add. charge
<input type="radio"/> MZ25	Klaxon Twist pull and push device (only valued for Germany, Switzerland and France)	Add. charge
<input type="radio"/> MZ26	Klaxon Klick	Add. charge

Wheelchair type	Price
<input type="radio"/> Standard	–
<input type="radio"/> MA50 Foot-propelled chair (reduced ground clearance in delivery condition for hemiplegia model)*	–

\* : Risk due to getting caught on obstacles. Please observe safety information in the instructions for use!

Seat width (SW) in cm
<input type="radio"/> 35,5 <input type="radio"/> 38 <input type="radio"/> 40,5 <input type="radio"/> 43 <input type="radio"/> 45,5 <input type="radio"/> 48

Seat depth (SD) in cm
<input type="radio"/> 36 <input type="radio"/> 38 <input type="radio"/> 40 <input type="radio"/> 42 <input type="radio"/> 44 <input type="radio"/> 46 <input type="radio"/> 48 <input type="radio"/> 50 <input type="radio"/> 52 <input type="radio"/> 54


Seat depth (SD) in cm
<input type="radio"/> 38 <sup>1)</sup> <input type="radio"/> 39 <sup>1)</sup> <input type="radio"/> 40 <sup>1)</sup> <input type="radio"/> 41 <sup>2)</sup> <input type="radio"/> 42 <sup>2)</sup> <input type="radio"/> 43 <sup>2)</sup> <input type="radio"/> 44 <sup>2)</sup> <input type="radio"/> 45 <sup>2)</sup> <input type="radio"/> 46 <sup>2)</sup>
<input type="radio"/> 47 <sup>2)</sup> <input type="radio"/> 48 <sup>2)</sup> <input type="radio"/> 49 <sup>2)</sup> <input type="radio"/> 50 <sup>2)</sup> <input type="radio"/> 51 <sup>2)</sup> <input type="radio"/> 52 <sup>2)</sup> <input type="radio"/> 53 <sup>2)</sup> <input type="radio"/> 54 <sup>2)</sup> <input type="radio"/> 55 <sup>2)</sup>

<sup>1)</sup>: 22" drive wheel

<sup>2)</sup>: 24" drive wheel

### Lower leg length in cm (without seat cushion)

Lower leg length: (LL) in cm  (available adjustment range 34 cm – 55 cm)



Posterior seat height in cm
<input type="radio"/> 36 <sup>1)</sup> <input type="radio"/> 37 <sup>1)</sup> <input type="radio"/> 38 <sup>1)</sup> <input type="radio"/> 39 <sup>1)</sup> <input type="radio"/> 40 <sup>2)</sup> <input type="radio"/> 41 <sup>2)</sup> <input type="radio"/> 42 <sup>2)</sup> <input type="radio"/> 43 <sup>2)</sup> <input type="radio"/> 44 <sup>2)</sup>
<input type="radio"/> 45 <sup>2)</sup> <input type="radio"/> 46 <sup>2)</sup> <input type="radio"/> 47 <sup>2)</sup> <input type="radio"/> 48 <sup>2)</sup> <input type="radio"/> 49 <sup>2)</sup> <input type="radio"/> 50 <sup>2)</sup> <input type="radio"/> 51 <sup>2)</sup> <input type="radio"/> 52 <sup>2)</sup>

<sup>1)</sup>: 22" drive wheel

<sup>2)</sup>: 24" drive wheel

Back support height in cm
<input type="radio"/> 30 <input type="radio"/> 32,5 <input type="radio"/> 35 <input type="radio"/> 37,5 <input type="radio"/> 40 <input type="radio"/> 42,5 <input type="radio"/> 43 <input type="radio"/> 45 <input type="radio"/> 47,5 <input type="radio"/> 48 <input type="radio"/> 50

Frame accessories	Price
<input type="radio"/> MA51 Tip-assist, right	Add. charge
<input type="radio"/> MA52 Tip-assist, left	Add. charge
<input type="radio"/> MA55 Anti-tipper, right	Add. charge
<input type="radio"/> MA56 Anti-tipper, left	Add. charge
<input type="radio"/> MA57 Crutch holder with tip-assist, right	Add. charge
<input type="radio"/> MA58 Crutch holder with tip-assist, left	Add. charge

# Adaptive wheelchair *Motus CV*.

## Master order form

Caster wheels		Price
<input type="radio"/> MF30	4" solid rubber, black	–
<input type="radio"/> MF31	5" solid rubber, black	–
<input type="radio"/> MF04	5.5" soft caster, grey	–
<input type="radio"/> MF32	6" solid rubber, black	–
<input type="radio"/> MF08	7" solid rubber	Add. charge

Drive wheel camber	
<input type="radio"/> 0°	<input type="radio"/> 2° <input type="radio"/> 3° <input type="radio"/> 4°

Horizontal drive wheel position	
<input type="radio"/> A	<input type="radio"/> B <input type="radio"/> C <input type="radio"/> D

Drive wheel rim		Price
<input type="radio"/> MG06	Hollow rims	–
<input type="radio"/> MG15	Infinity Ultralight (not possible in combination with MG 34)	Add. charge
<input type="radio"/> MG80	With drum brake / attendant*	Add. charge

Tyres		Price
<input type="radio"/> MG30	Pneumatic tyre 1 3/8"	–
<input type="radio"/> MG31	Schwalbe RightRun 1"	–
<input type="radio"/> MG34	PU 1" (not possible in combination with MG 15/MG 150)	–
<input type="radio"/> MG341	PU 1" black (not possible in combination with MG 15/MG 150)	Add. charge
<input type="radio"/> MG37	Schwalbe Marathon Plus Evolution 1"	Add. charge
<input type="radio"/> MG371	Schwalbe Marathon Plus Evolution 1.1"	Add. charge
<input type="radio"/> MG200	Schwalbe ONE 1"	Add. charge

Handrims		Price
<input type="radio"/> MG52	Aluminium, silver anodised, high	Add. charge
<input type="radio"/> MG53	Aluminium, silver anodised, low	Add. charge
<input type="radio"/> MG54	rubber-coated	Add. charge
<input type="radio"/> MG56	Stainless steel, polished, high	Add. charge
<input type="radio"/> MG65	GEKKO, ergonomic handrim	Add. charge

Handrim mounting		Price
<input type="radio"/> SBK13379.001	Mounting position more narrow to customer requirements <input type="text" value=""/>	Add. charge

Wheelbase extension including wheel lock adapter		Price
<input type="radio"/> MG82	Extra long with second fitting	Add. charge

Drive wheel accessories		Price
<input type="checkbox"/> MG87	High-pressure air pump, 14 bar	Add. charge
<input type="checkbox"/> MG88	Airman-pump, battery-operated	Add. charge

Wheel locks		Price
<input type="radio"/> MH01	Push-to-lock knee lever wheel lock	–
<input type="radio"/> MH11	Knee lever wheel lock Pull-to-lock	Add. charge
<input type="radio"/> MH05	Scissor wheel lock	Add. charge
<input type="radio"/> MH06	Knee lever wheel lock for user and attendant	Add. charge

# Adaptive wheelchair *Motus CV*.

## Master order form

Wheel lock accessories		Price
<input type="radio"/> MH10	Wheel lock lever extension	Add. charge
Back support system		Price
<input type="radio"/> MD01	Back support, straight	–
<input type="radio"/> MD09	Back support with lumbar curve 8°	–
<input type="radio"/> MD10	Back support, angle-adjustable 30° (back support height 43 or 48 cm, max. upload capacity 125 kg/275 lb)	Add. charge
<input type="radio"/> MD11	foldable	Add. charge
Back support upholstery		Price
<input type="radio"/> MD03	Adaptable, padded	–
<input type="radio"/> MD04	Standard (only for back support, angle-adjustable 30°)	–
<input type="radio"/> MD05	Adaptable, breathable	Add. charge
<input type="radio"/> MD06	Without	–
Back support pad widening		Price
<input type="radio"/> MD80	+ 2 cm	Add. charge
<input type="radio"/> MD81	+ 4 cm	Add. charge
<input type="radio"/> MD82	Without	–
Use of BAXX back support system (include order form, model-specific restrictions are possible)		Price
<input type="radio"/> MD44	Baxx Aluminium back support (enclosed)	Add. charge
Push handles		Price
<input type="radio"/> MD50	Short	–
<input type="radio"/> MD51	Long	–
<input type="radio"/> MD53	Telescoping, short	Add. charge
<input type="radio"/> MD52	Telescoping, long	Add. charge
<input type="radio"/> MD55	Height-adjustable/removable	Add. charge
<input type="radio"/> MD45	height-adjustable/removable for Baxx	Add. charge
<input type="radio"/> MD56	Fold-down (max. load capacity 125 kg/275 lbs)	Add. charge
Back support system range of adjustment		Price
<input type="radio"/>	30 - 32,5 (back support straight with push handles height-adjustable/telescoping)	–
<input type="radio"/>	30 - 37,5 (back support straight with push handles short/long/folding)	–
<input type="radio"/>	32,5 - 40 (back support straight with push handles height-adjustable/telescoping)	–
<input type="radio"/>	35 - 40 (back support 8° with push handles height-adjustable/telescoping)	–
<input type="radio"/>	37,5 - 45 (back support straight with push handles short/long/folding)	–
<input type="radio"/>	40 - 45 (back support straight with push handles short/long/folding)	–
<input type="radio"/>	42,5 - 50 (back support straight with push handles height-adjustable/telescoping)	–
<input type="radio"/>	45 - 50 (back support 8°)	–
<input type="radio"/>	47,5 - 50 (back support straight with push handles short/long/folding or back support foldable with push handles long)	–
Back support accessories		Price
<input type="radio"/> MD58	Stabiliser bar	–

# Adaptive wheelchair *Motus CV*.

## Master order form

Side panels		Price
<input type="radio"/> ME01	With protection against the cold	–
<input type="radio"/> ME02	With splash guard and protection against the cold	–
<input type="radio"/> ME04	Carbon, with splash guard	Add. charge
<input type="radio"/> ME05	Desk side panel with arm support, short	Add. charge
<input type="radio"/> ME06	Desk side panel with arm support, long	Add. charge
<input type="radio"/> ME11	Plug-on side panel, plastic	–
<input type="radio"/> ME17	Side panel with arm support long, depth-adjustable	Add. charge

Side panel accessories		Price
<input type="radio"/> ME50	Arm support padded, swing away (not possible in combin. with desk side panel)	–
	<input type="radio"/> short <input type="radio"/> long <input type="radio"/> long, extra high	
<input type="radio"/> ME60	Tray	Add. charge

Seat upholstery		Price
<input type="radio"/> MC13	Standard	–
<input type="radio"/> MC14	readjustable	Add. charge
<input type="radio"/> MC06	Without	–

Seat cushions		Price
<input type="radio"/> MC01	Standard (cushion thickness 5 cm)	Add. charge
<input type="radio"/> MC02	Cubic Foam (cushion thickness 5 cm)	Add. charge
<input type="radio"/> MC05	Evolight (cushion thickness 6 cm)	Add. charge
<input type="radio"/> MC29	Livo (cushion thickness 5 cm)	Add. charge
<input type="radio"/> MC30	EvoFlair (cushion thickness 5 cm)	Add. charge

Leg supports		Price
<input type="radio"/> MB03	Single panel, angle-adjustable	–
<input type="radio"/> MB09	Individual, angle-adjustable, flip up, Aluminium	–
<input type="radio"/> MB10	Individual, angle-adjustable, flip up, Plastic	Add. charge
<input type="radio"/> MB21	Amputation leg support, right	Add. charge
<input type="radio"/> MB22	Amputation leg support, left	Add. charge
<input type="radio"/> MB23	Amputation leg support, pair	Add. charge
<input type="radio"/> MB26	Elevating leg support, right	Add. charge
<input type="radio"/> MB27	Elevating leg support, left	Add. charge
<input type="radio"/> MB25	Elevating leg support, pair	Add. charge
<input type="radio"/> MB99	without	–

Choice of foot support bar (without seat cushion)		Price
<input type="radio"/> MB40	Short (max. 34 - 41 cm)	–
<input type="radio"/> MB41	Medium (max. 41 - 51 cm)	–
<input type="radio"/> MB42	Long (max. 47 - 55 cm)	–

Other accessories		Price
<input type="checkbox"/> MZ51	Lap belt with metal buckle	Add. charge
<input type="checkbox"/> MZ52	Tool kit	Add. charge

Spoke protector		Price
<input type="radio"/> MG90	Transparent	Add. charge

# Adaptive wheelchair *Motus CV*.

## Master order form

Frame colours		Price
<input type="radio"/> 002	Anthrazit metallic	–
<input type="radio"/> 010	Marine blue *	–
<input type="radio"/> 012	Sky blue	–
<input type="radio"/> 014	Candy red	–
<input type="radio"/> 014	Silber metallic	–
<input type="radio"/> 021	Sparkle granny-smith	–
<input type="radio"/> 023	Weiß RAL 9016	–
<input type="radio"/> 048	Jet black matte (structure)	Add. charge
<input type="radio"/> SBK24817.000	Special colour to customer requirements <input type="text"/>	Add. charge

\*: leg support holder in Jet black matte (structur); for all other colours in frame colour

Side panes in frame colour *		Price
<input type="radio"/> ME20	Yes **	Add. charge

\*: Standard colour 048 jet black matte (texture) without additional charge  
 \*\*: not possible in combination with side panels ME04 & ME11

Special accessories		Price
<input type="checkbox"/> MZ58	Bag for drive wheels (for 2 drive wheels up to 28")	Add. charge
<input type="checkbox"/> MZ59	Pocket for mobile phone	Add. charge
<input type="checkbox"/> MZ89	Protection for quick-release-axle	Add. charge
<input type="checkbox"/> MZ92	Wheelblades (Mini-skis for caster wheels)	Add. charge
<input type="checkbox"/> MZ93	Backpack	Add. charge


# Adaptive wheelchair *Motus CV*.

## Master order form

### Information

#### Wheelchair measurements

- 1 Anterior seat height (ASH) = ground to top of seat upholstery
- 2 Lower leg length (LL) = top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH) = ground to top of seat upholstery
- 4 Back support height (BH) = top of seat tube (cross-brace) to top of back support upholstery
- 5 Seat depth (SD) = front of seat upholstery to back support tube
- 6 Seat width (SW) = outside edge of frame tube to outside edge of frame tube



Anterior seat height [cm]					
Caster fork	Wheel diameter				
	4"	5"	5,5"	6"	7"
short	38 - 46	40 - 46	42 - 47	42 - 47	44 - 49
long	46 - 53	47 - 54	44 - 55	44 - 55	45 - 55

The values indicated are rounded values which have been theoretically determined. Max. deviation of 1 cm.

The anterior seat height depends on the selected wheel size, caster fork and mounting position. Please refer to the seat height table!

Specified without seat cushion at 0° seat inclination.


Horizontal position of the drive wheel attachment device: see sketch.

The posterior seat height (PSH) depends on the selected wheel size and mounting position in the drive wheel attachment device.

Please refer to the seat height table!

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.

#### Positions drive wheel adapter



# Adaptive wheelchair *Motus CV.*

## Master order form

### Information



**Drive wheel adapter**



**MA51 Tip-assist**




**MA55 Anti-tipper**




**MA57 Crutch holder**



**MF30/31/32 solid rubber**  
4", 5", 6", black




**MF04 Soft rubber 5,5"**



**MG06 Hollow rim**




**MG15 Infinity Ultralight**



**MG31 Right Run 1"**



**MG371 Marathon Plus Evolution 1.1"**



**MG54 rubber-coated**



**MG65 Gekko**



**MG63 Curve L (eloxiert)**



**MG64 Curve L Grip**



**MH05 Outfront-scissor wheel lock**



**MH01 Knee lever wheel lock**

# Adaptive wheelchair *Motus CV.*

## Master order form

### Information



**MH10 Wheel lock extension**



**MD10 Back support, angle-adjustable**



**ME11 Plug-on side panel plastic**



**MD04 Back support upholstery Standard**



**MD05 Back support upholstery, breathable**



**MD03 Back support upholstery, padded**



**MD58 Stabiliser bar**



**MD55 Push handles height-adjustable, removable**



**MD56 Push handles foldable**



**ME11 Plug-on side panel plastic**



**ME02 Side panel with clothing guard and against cold**




**ME04 Carbon side panel**



**ME17 Side panel with arm support long, height-adjustable**



**ME50 Side panel, padded**



**ME60 Therapy tray**


# Adaptive wheelchair *Motus CV.*

## Master order form

### Information



**MB10 Leg support, individual, angle-adjustable, swivel up**



**MB22 Amputation leg support, left**



**MB25 Leg supports, elevating**



**MZ59 MZ59 Poket for mobile phone**



**MZ58 Bag for drive wheels**



**MZ89 Protection for quick-release-axle**



**MZ92 Wheel Blades**



**MZ93 Backpack**

# Adaptive wheelchair *Motus CV.*


## Master order form

Seat cushion Livo					
Seat depth [cm]	Seat width [cm]				
	38	40,5	43	45,5	48
38		○			
40	○		○		
42		○	○	○	○
44			○	○	○
46			○	○	○
48			○	○	
50				○	
52			○	○	

Seat cushion Evoflair					
Seat depth [cm]	Seat width [cm]				
	38	40,5	43	45,5	48
40	○	○	○		
42		○	○	○	○
44			○	○	○
46			○	○	○
48					
50					
52			○	○	



MC29 Livo



MC30 Evoflair